

DETAILS OF WORKS / CONSULTANCY / PURCHASE CONTRACTS AWARDED ON NOMINATION BASIS

2ND QUARTER OF 2018 - 19 (JULY 2018 - SEPT 2018)

DETAILS OF PURCHASE CONTRACT

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
SR. NO	Name of Work/Description of Item	Tender/Quotation No. & Date	Name of Agency	P.O. No. & DATE	Purchase Order Value (Rs. in Lakhs)	Contract Period	Reasons for Nomination	Approving Authority	UNIT
1	LEATHER SHOE, MAKE :M & B Footwear, MODEL : ARTICLE NO. ID9255 BLACK COLOUR WITH LACE.	56413 dtd.13-06-2018	M AND B FOOTWEAR PVT. LTD.,	43409 dated 08-08-2018	24.04	07-11-2018	As per HQ circular No. NPCIL/HQ/HRP/12(7)/2016/327 dtd.29.09.2016 and NPCIL/HQ/HRP/11(101)/2014/739 dtd.29.12.2014	Site Director	KGS 1 - 4
2	SAFARI MAKE POLYCARBONATE LUGGAGE (PC) 5 Years International (100 No.)	70975 dtd 30-08-2018	M/S SAFARI INDUSTRIES INDIA LTD(NEW DELHI-110001)	95229 dated 20-09-2018	6.50	30-10-2018	Liveries Items, Process as per: Circular NO: NPCIL/HQ/HRM/11(101)/2014/739 dated 22.12.2014.	Site Director	RAPS 1&2 (Tender was issued to OEM)
3	Titan Wrist Watch	Nil dt.16.8.18	M/s. Titan Company Ltd, Mumbai	CMM/MISC/00-78-5-4209/PO/27569 dated 31-08-18	24.68	30-09-18	NPCIL Board has approved Memonto of TITAN or HMT make in 116 th Meeting vide note no.NPCIL/CO/ER/6/11/21/485 dated 15-12-2015. As HMT company is closed now, the next available option, was TITAN make brand is considered for Award of contract on Nomination Basis.	ED (HR)	HQ
4	AMC for Water Purifiers	16524 Dated: 23-04-2018	M/s. Harni Service, Tuticorin	12581 dated 31-07-2018	3.68	Upto 31-07-2019	Efforts were made 3 times for this work on Public Tender mode. Since no response was received against repeated tendering, in order to address the safety standard to be maintained at Russian residence Nomination mode was undertaken, with the approval of competent Authority.	Site Director	KKNPP
5	1. ELBOW 100NB 80S BW SA 403 WP304LANSI B16.9ASME SECIII,NB-UTE PC-M-309 (Item code: 2.4.7.23N) (5 nos.) 2. TEE (EQUAL) 100X100NB 80S BW SA 403 WP304LANSI B16.9ASME SECIII,NB-UTE PC-M-309 (Item code: 2.5.4.18N) (2 nos.) 3. CONCENTRIC REDUCER (SEAMLESS) 100X50NB 80S BW SA 403 WP304LANSI B16.9ASME SECIII,NB-UTE: PC-M-309 (Item code: 2.6.1.26N) (4 nos.) 4. 15 NB SCH 40S SS EQUAL TEE SEAMLESS BW UTE SA403 WP304L PCM-309 SEC-III NB (Item code:2.5.4.2) (4 nos.)	KAPS-3&4/CMM/CAP/2859 DUE ON 04-06-2018	M/S MECH-WELL FITTINGS	CMM/MMW/KAPP-3&4/CAP/2859/REV/PO-2087 DT 21-07-2018	1.23	29-09-2018	These fittings are required for completion of work in PHT circuit which is in critical path of project schedule & hence need to be completed in shortest possible time. Adopting normal purchase procedure which requires around 3-4 months for placement of PO cannot be resoted to since it will seriously affect the PHT work completion schedule. Market survey was carried out for supply of thses items within shortest time at optimum price. Based on outcome of the survey, M/s Mech-well fittings is mbest suited for supply of these fittings	ACE (NP)	KAPS

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
SR. NO	Name of Work/Description of Item	Tender/Quotation No. & Date	Name of Agency	P.O. No. & DATE	Purchase Order Value (Rs. in Lakhs)	Contract Period	Reasons for Nomination	Approving Authority	UNIT
6	Consumable Electrode, ER Ni Cu-7, 2.4/2.5 mm diameter, Make: (10 Kgs.)	Tender No: 70940 Dated 10-07-2018	M/s G.S. Enterprises Pvt. Ltd.,(KOTA-324 005 (RAJ))	94847 dated 11-07-2018	0.69	21-07-2018	Urgent Requirement RAPS-1&2	Station Director	RAPS 1&2
7	Supply of "Stellite Alloy 19 PM Balls" according to AFBMA gr (150 nos.)	22823 Dtd. 20-09-2018	M/S MTAR TECHNOLOGI ES PVT. LTD. (TELANGANA)	30354 dated 28-09-2018	4.38	27-03-2019	Present stock status of "19 PM Balls size - 5/32" dia (3.968 mm) & 1/4" dia (6.35 mm)" is nil. Indent for above was initiated in advance & PO-28494 dated 28/09/2015 was also placed timely but still supplier had not made the supply in our stores. Efforts were made by giving e-mails, telephonically and through meeting at station with the party but still it is very uncertain that he will supply the material within 12 months. We have also contacted other NPCIL sites regarding supply of some quantities of ball but no positive response received. No spare	Station Director	NAPS
							Ram Assembly is ready (because of unavailability of balls) in shop for emergency condition and one to one replacement in field. Unavailability of these balls may lead to station power down and subsequently unit shutdown. Hence requirement of these balls is very urgent. Considering the critical requirement and uncertainty for the supply of indented item within 12 months, indent for the procurement of bare minimum quantity is proposed.		