

**DETAILS OF PURCHASE CONTRACTS AWARDED ON SINGLE TENDER BASIS BY C&MM DIRECTORATE( SITE C&MM+ C&MM-HQ) FOR THE QUARTER ENDED September 2022**

**Name Of The stations : C&MM HQ & All Site C&MM**

Sr.No.	Name of Work/Description of Item	Tender/Quotation No	Tender Publish Date	Name of Agency	Purchase Order No	Purchase Order Date	Purchase Order Value (Rs.)	Contract Period	Reasons for Single Tender	Approving Authority	Remark
1	Spares for RPV (SK-27) and SG (SK-38)	KKNPP/1&2/CMM/19541	14-03-2022	M/s. HRID-Non Destructive Testing Ltd.	KKNPP/1&2/CMM/19541/PO:60377	20-07-2022	38507737	05-04-2023	RPV & SG inspection systems (SK-27, SK-38) are custom made and supplied to KKNPP site by M/S. HRID, Non destructive testing Ltd, Croatia and spares are proprietary in nature supplied by OEM.	Site Director, KKNPP	-
2	Worm Wheel Centrifugal Cast Phos. Bronze (Item No-2) for 7' Vertical Governor as per BHEL Drg No-G 2613929 C 'ASSY OF GOV. AND MAIN OIL PUMP DRIVE 236 MWe'	RR Site/Stations/Unit-3&4/CMM/CAP/76209	14-07-2021	BHARAT HEAVY ELECTRICALS LIMITED	RR Site/Stations/Unit-3&4/CMM/CAP/76209/e-PO/101609	30-09-2022	5100034	22-05-2023	proprietary spares in nature -Indent was approved as per Clause No AA-2 (c) of HQI-2007 by the Competent Authority-	M.S., RAPS-3&4	PO placed to OEM
3	Calibration of Electronet make conductivity and concentration meter	KKNPP/1&2/CMM/SPT/19551	25-04-2022	Electronet Equipments Pvt. Ltd.	KKNPP/12/CMM/1225176/PO:60495	30-09-2022	113280	28-01-2023	OEM service required for calibration of Electronet make conductivity and concentration meters used in LDP System.	SME(I)	-
4	BHEL	NAPS/CMM/V/26102	01-01-1970	BHEL	33552	26-09-2022	961818	10-10-2022	Indented item is procurement of Service from M/S BHEL for NAPS#2 TG Hydrogen Seal replacement. BHEL is the O.E.M of NAPS TG and TG Hydrogen Seal. At NAPS#2 , presently unit is at shutdown as the Generator Hydrogen Seal at TE side temperature was increased to alarming value . Hydrogen seal installation is a critical job . To ensure satisfactory performance, seal will be replaced under supervision of O.E.M i.e: M/S BHEL . Considering the Operational Emergency, Indent is proposed for procurement of Service from O.E.M i.e: M/S BHEL for Supervision during Hydrogen Seal Replacement job at NAPS#2-OPERATIONAL EMERGENCY CASE	SD	-
5	SKF BEARING	NAPS/CMM/1/25347	01-01-1970	EFFICIENT DISTRIBUTORS	33544	23-09-2022	6159	21-01-2023	Indented bearing are M/s SKF make bearings for PSS DM Upper and Lower chamber assemblies and RCM MUA Gear boxes. Equipment drawings recommends the use of SKF make bearings as spares for above mentioned equipment's, in view of above it is proposed to procure M/s SKF make bearings as spare parts of the existing equipment on proprietary product of a single manufacturer. CA may kindly approve the proposal of procurement of M/s SKF make bearings for PSS DM Upper and Lower chamber assemblies and RCM MUA Gear boxes.	SME(M)	-

	Supply of spare Rubber Expansion joint of 1800 NB size; make: M/s APHRDITE POLYPRENE PVT LTD, (part no. 1 of attached drawing) for CCW supply & return headers of Condenser Water Boxes	RR Site/Stations/Unit-5&6/CMM/SPS/77626(GEM AVAILABILITY REPORT AND PAST TRANSACTION SUMMARY ID: GEM/GARPTS/12022022/NMSEXA1U38T)	10-03-2022	APHRDITE POLYPRENE PVT LTD	RR Site/Stations/Unit-5&6/CMM/SPS/77626(GEM AVAILABILITY REPORT AND PAST TRANSACTION SUMMARY ID: GEM/GARPTS/12022022/NMSEXA1U38T)/e-PO/55700/PO: 101574 DT. 22.09.2022	22-09-2022	401200	12-01-2023	Indent was approved as per Clause No AA-2 (c) of HQI-2007 by the Competent Authority	SME (M) - 5&6	PO PLACED
7	SUPPLY OF SPARE DEGASSER BLOWER WITH MOTOR	KGuj Site/Stations/Unit-1&2/CMM/MMU/23355	04-06-2022	DATTA AIR SYSTEM PVT LTD	CMM/Station/Unit-1 to 4/MMU/23355/PO-72815	29-09-2022	281738	27-01-2023	The previously supplied Degasser Blowers are proprietary of M/s Datta Air System Pvt. Ltd. Mumbai, and in order to ensure the interchangeability same has to be procured from OEM or its Authorized Dealer.	SME(M)	OK
8	Supply of HEATERS FOR KIRLOSKAR MAKE CENTRIFUGAL CHILLER	RR Site/Stations/Unit-3&4/CMM/FAB/77283	15-02-2022	Kirloskar Chillers Pvt. Ltd	CMM/Stations/Unit-3&4/CMM/FAB/77283/PO/101610	30-09-2022	132110	29-12-2022	Indent was approved as per Clause No AA-2 (c) of HQI-2007 by the Competent Authority	SME (EMU) RAPS-3&4	PO placed to OEM
9	SPARES FOR MECHANICAL SEAL	62968	29-07-2022	FLOWSERVE SANMAR PRIVATE LIMITED	62968/PO/92236	30-09-2022	2105945	29-03-2023	proprietary spares in nature	MS TAPS 3&4	-
10	PROCUREMENT OF AIR COMPRESSOR PISTON RINGS AS PER SPECIFICATION	62381	18-06-2022	PRIME ENGINEERING CORPORATION	62381/PO/92135	09-09-2022	5935528	07-12-2022	Proprietary item in nature	CS TAPS 1&2	-
11	CAMC FOR OTIS MAKE ELEVATORS	62262	02-07-2022	OTIS ELEVATOR CO. (INDIA) LTD.	62262/PO/92129	08-09-2022	7731000	13-09-2024	Proprietary item in nature	SD, TAPS 3&4	-
12	Supply of Eagle Burgmann make seal spares for DG Preheating Pump	CMM/TAPS-3&4/62825	23-07-2022	EagleBurgmann India Pvt. Ltd.	62825/PO/92221	29-09-2022	477015	29-10-2022	proprietary spares in nature	SME (MMU)	-
13	SPARES FOR CCW DEBRIS FILTERS	62784	26-06-2022	GEA BGR ENERGY SYSTEM INDIA LIMITED	62784/PO/92174	17-09-2022	3045233	16-03-2023	proprietary spares in nature	MS, TAPS-3&4	-
14	BALL EXTRACTOR FUNNEL PLATES	62979	26-07-2022	GEA BGR ENERGY SYSTEM INDIA LIMITED	62979/PO/92164	15-09-2022	1325100	03-03-2023	Proprietary item in nature	SME (MMU)	-
15	EC VME-8260 power PC boards for ECIL make KGS-3&4 EMTR system.	CMM/Kaiga 1-4/CAPKGS3&4/61143	25-01-2022	M/S. ELECTRONICS CORPORATION OF INDIA LIMITED	CMM/Kaiga 1-4/CAPKGS3&4/61143/GEMC-511687703739490/PO-82052	29-09-2022	12443070	23-03-2024	Existing EMTR system is of ECIL make. Safety proposal exists for upgradation of LAN system of EMTR at RR site dated 14.05.2020. Based on the same, CPI was raised for corresponding changes in KGS-3&4. To ensure one to one replacement and consistency with the proposal, ECIL make components are required.	SME(EMU)-3&4	-
16	SUPPLY OF COMBINED CHARCOAL AND HEPA FILTERS	CMM/Kaiga 1-4/KGS3&4/60792	07-03-2022	M/S. INDUSTRIAL FILTER CORPORATION	CMM/Kaiga 1-4/KGS3&4/60792/GEMC-511687704625562/PO-82050	19-09-2022	11151000	18-03-2023	Combined Charcoal & HEPA Filters as per DAE/NPCIL have been developed only by M/s Industrial Filters, Bharuch as per Specification No: NPCIL/CH&CF/PB-E-594 (R2) REF: USI NO: 73140, Date of revision: August 2010 vide fax cover sheet. from shri N.C.Lodha CE (maintenance) dtd 8th feb 2006 as enclosed in attachments	SME(MMU)-3&4	-

17	MAINTENANCE AND SERVICE CONTRACT (Non-Comprehensive) TOWARDS M/s. BIONICS make PHYSIOTHERAPY MACHINES FOR THE PERIOD OF ONE YEAR WITH SUPPLY OF SPARES ON AS & WHEN REQUIRED BASIS	CMM/TAPS-1&2/62259	20-04-2022	BIONICS INNOVATIONS	62259/PO/92215	28-09-2022	22302	27-09-2023	Service & maintenance for existing instruments (OEM of Instruments)	Medical Supt.	-
18	SKF BEARING	NAPS/CMM/1/25347	01-01-1970	EFFICIENTY DISTRIBUTORS PVT LTD.	33543	23-09-2022	6159	21-01-2023	Indented bearing are M/s SKF make bearings for PSS DM Upper and Lower chamber assemblies and RCM MUA Gear boxes. Equipment drawings recommends the use of SKF make bearings as spares for above mentioned equipment's, in view of above it is proposed to procure M/s SKF make bearings as spare parts of the existing equipment on proprietary product of a single manufacturer. CA may kindly approve the proposal of procurement of M/s SKF make bearings for PSS DM Upper and Lower chamber assemblies and RCM MUA Gear boxes.	SME(M)	-
19	RIBBON CARTRIDGE	NAPS/CMM/1/25847	01-01-1970	BAHUCHAR TRADERS	33540	22-09-2022	149970	22-10-2022	Two new Sindoh N610 Series make photocopiers are procured. This indented item is consumable part of these photocopiers. Hence no stock is available currently for toners for same photocopiers. Hence for smooth maintaining of photocopying jobs with durability in user sections, procurement of indented item (toner) is proposed from OEM (Sindoh).	ENC(IT&C)	-
20	NGEF	NAPS/CMM/2/25913	01-01-1970	BRITISH ELECTRIC MFG CO.	33534	13-09-2022	7360000	10-06-2023	Indented items are required for replacement of AHP & EALP pump motor system. There are 5 nos. of AHP & 2 nos. of EALP motor installed at NAPS. All existing Motors are of M/s NGEF make and designed as per existing foundation, These are the safety related motors and need to replace them with one to one item. Hence M/s NGEF make Motors are proposed to procure on proprietary basis. AHP & EALP motors are safety related motors installed & functioning since its commissioning.	CS	-
21	PERKIN ELMER	naps/cmm/2/25682	01-01-1970	BRACKER INDIA	33530	12-09-2022	1208390	21-12-2022	The Quantulus 1220C is ultra-low level LSA was purchased in year 2015, used for low level environmental samples counting. Some partsof system gets degraded due to continuous use since 2015, service engineer of Perkin Elmer recommended for replacement of them for smooth and uninterrupted functioning of the system. In view of above proposed spares are required to be procured from OEM or authorized dealer of OEM under proprietary and on urgent basis	TSS	-
22	Supply of JYOTI make rubber lining repairing paste-75	62574	09-05-2022	JYOTHI INDUSTRIES	62574/PO/92202	24-09-2022	27730	24-10-2022	Proprietary item in nature	SME (MMU)	-

23	SKF	NAPS/CMM/1/253 36	01-01-1970	INDUSTRIAL BEARING & MILL STORES	33525	08-09-2022	719154	07-11-2022	Indented bearings are required for below mentioned equipments: NU 318 and 6316-Main Air Compressor Motor, Make-NGEF 6311-(1) Chilled water circulating Pump, Make: Wilo Mather and Platt (2) DG Jacket water pump supplied by M/s DLW For all the above equipments, OEM recommended brand for bearing is SKF, hence only SKF make bearings can be procured. Indented item(s) are spare parts, attachments, additiions, ancillaries, accessories to the existing equipment/component which are of a monopoly/proprietary product of a single manufacturer. Hence, it is proposed to procure SKF make bearings on proprietary mode.	SME(M)	-
24	KELTRON MAKE PNEUMATIC VALVE POSITIONER WITHOUT POSITION TRANSMITTER.	RR Site/Stations/Unit- 1&2/CMM/SPS/77 211	12-01-2022	KERALA STATE ELECTRONICS DEVELOPMENT CORPORATION LIMITED	RR Site/Stations/Unit- 1&2/CMM/SPS/77211/PO/101 549	19-09-2022	622660	17-01-2023	Indent was approved as per Clause No AA-2 (c) of HQI-2007 by the Competent Authority	SME(I) - RAPS 1&2	SINGLE TENDER
25	OVERHAULING OF EASUM-MR MAKE OLTC.	RR Site/Stations/Unit- 1&2/CMM/SPS/77 487	22-06-2022	Easun MR Tapchangers(P) Ltd	RR Site/Stations/Unit- 1&2/CMM/SPS/77487/PO/101 531	14-09-2022	104784	13-12-2022	Indent was approved as per Clause No AA-2 (c) of HQI-2007 by the Competent Authority	MS - RAPS 1&2	SINGLE TENDER
26	Supply of M/s Schneider Electric make limit switch assembly	CMM/Kaiga 1- 4/KGS1&2/60612	18-06-2022	M/S. SPARES 4U,	CMM/Kaiga 1- 4/KGS1&2/60612/PO-46344	26-09-2022	144692	23-02-2023	M/s Schnieder Electric make limit switch assemblies are used in electrical motorized valves actuators and switchgears. It is required to replace the limit switches one -to-0one as part of condition based maintenance. Therefore, to maintain suitability in field, the OEM, i.e. M/s Schnieder electric is the optimum source of supply of limit switches. Hence, to ensure one to one replacement, M/s Schnieder electric make limit switches are proposed for purchase as a proprietary item through public tender.	SME(EMU)-1&2	-
27	Parker Make, Hydraulic, SS over braided rubber hose	CMM/Kaiga 1- 4/KGS3&4/61290	24-03-2022	M/S. HYDRAULIC SYNDICATE	CMM/Kaiga 1- 4/KGS3&4/61290/GEMC- 511687787370558/PO-82048	15-09-2022	237546	14-11-2022	DG is a Safety related system. Parker make SS over branded rubber hoses are installed in all DGs. These hoses are required for one to one replacement during maintenance of DG. This hoses are essential parts of DG to ensure the availability of DG all the time. Parker make SS over braided rubber hoses are being proposed to procure from M/s Parker or its authorized dealer. Competent authority may accord approval of proposal for procurement of SS over braided rubber hose from M/s Parker or their authorized dealer.	SME(MMU)- 3&4	-
28	Supply of SKF make bearing	CMM/Kaiga 1- 4/KGS3&4/61825	12-07-2022	M/S. DHIRAJLAL MORARJI	CMM/Kaiga 1- 4/KGS3&4/61825/GEMC- 511687711542628/PO-82032	16-09-2022	97944	15-11-2022	Indented items are bearing required in TB air washer fans, PCFPB Fans, PC Exhaust fans and SB Exhaust motor. These equipments are originally supplied with SKF bearings. For the ease of one to one fitment of bearings, it has to be procured from OEM M/s. SKF or its authorized dealer.	SME(MMU)- 3&4	-

29	Supply of Bio-Chemistry Reagents of M/s Mindray make	CMM/Kaiga 1-4/COMMON 1-4/61896	12-07-2022	M/S. VINAYAK BIO MEDICALS	CMM/Kaiga 1-4/COMMON 1-4/61896/PO-46320	19-09-2022	486529	19-10-2022	The reagents required for Bio-Chemistry Analyser made up of M/S Mindray, reagents are in one to one replacement of existing reagent. Kindly approve the proposal. Other manufacturer reagents can not be used due to calibration mismatch.	MEDICAL SUPDT	-
30	supply of Insert, PN:2 , as per drawing no.: 2H-97474 for M/s. Flowserve make mechanical seal suitable for PCCD/SCRIP fan.	CMM/Kaiga 1-4/KGS3&4/61692	20-06-2022	M/S. FLOWSERVE SANMAR PRIVATE LIMITED	CMM/Kaiga 1-4/KGS3&4/61692/GEMC-511687761754486/PO-82037	15-09-2022	1001380	14-03-2023	Indented items are required for replacement of spares of mechanical seal. Mechanical seal used in these fans is a proprietary product of M/s Flowserve Sanmar Ltd and recommended by OEM. Therefore these items are proposed for procurement on proprietary basis.	SME(MMU)-3&4	-
31	Packing for pipe clamp (3 rings set) for SU Make Pump Model No- CPV03-40X25-130, Sr No-59843, Part No-8093.	CMM/Kaiga 1-4/KGS3&4/61754	21-06-2022	M/S. THRE-EL ENGINEERING PRIVATE LIMITED	CMM/Kaiga 1-4/KGS3&4/61754/GEMC-511687761308914/PO-82036	16-09-2022	688025	14-01-2023	Indented items are spare parts for existing Fuel transfer pump of M/s SU Motors Pvt Ltd make. Only OEM spares are required for one to one replacement during overhauling of pump.	SME(MMU)-3&4	-
32	Supply of Pall make High Efficiency filter element part no HC8900 FCT- 39HY- 946 for KGS 1&2 TG governing relay oil system.	CMM/Kaiga 1-4/KGS1&2/61694	22-06-2022	M/S. GSM TECHNO PRODUCTS AND SERVICES	CMM/Kaiga 1-4/KGS1&2/61694/GEMC-511687734787549/PO-81996	03-09-2022	1866288	03-09-2023	The relay oil filter elements originally installed in the turbine relay oil & jacking oil system are of PALL MAKE filter elements .Indented items are PALL MAKE filter elements required for one to one replacement.	SME(MMU)-1&2	-
33	SUPPLY of variable frequency drive, 4KW 3-Phase I/P-380V-480V, AC, Part No - ATV71HU40N4, 5 HP, 4KW with graphic terminal, Make - SCHNEIDER.	CMM/Kaiga 1-4/KGS3&4/61129	20-12-2021	M/S. BRACKER INDIA	CMM/Kaiga 1-4/KGS3&4/61129/GEMC-511687768194012/PO-81994	06-09-2022	90714	05-11-2022	The item is required for one to one replacement of existing system, no other make suitable for replacement. The Schneider make variable frequency drives are provided in EOT crane system at KGS-3&4. Spares are required for the maintenance as one to one replacement against break down. Schneider make drive are only suitable with the existing wiring, scheme and mounting arrangement in crane. For keeping spares and to use at different cranes the Schneider make drive are recommended to procure on propriety basis. In view of the above competent authority may kindly approve the proposal for procurement of M/s Schneider make VFD drives on proprietary basis.	SME(EMU)-3&4	-
34	SUPPLY of variable frequency drive, 4KW 3-Phase I/P-380V-480V, AC, Part No - ATV71HU40N4, 5 HP, 4KW with graphic terminal, Make - SCHNEIDER.	CMM/Kaiga 1-4/KGS3&4/61129	20-12-2021	M/S. BRACKER INDIA	CMM/Kaiga 1-4/KGS3&4/61129/GEMC-511687782121758/PO-81993	05-09-2022	98410	04-11-2022	The item is required for one to one replacement of existing system, no other make suitable for replacement. The Schneider make variable frequency drives are provided in EOT crane system at KGS-3&4. Spares are required for the maintenance as one to one replacement against break down. Schneider make drive are only suitable with the existing wiring, scheme and mounting arrangement in crane. For keeping spares and to use at different cranes the Schneider make drive are recommended to procure on propriety basis. In view of the above competent authority may kindly approve the proposal for procurement of M/s Schneider make VFD drives on proprietary basis.	SME(EMU)-3&4	-

35	M/s Kirloskar Electric co., make Motors	CMM/Kaiga 1-4/KGS1&2/60236	21-04-2022	M/S. BVB ENGINEERING COMPANY	CMM/Kaiga 1-4/KGS1&2/60236/PO-46309	07-09-2022	1075419	15-05-2023	M/s Kirloskar make induction motors are used in various systems like air washer plant, fire water system, active process water system, DM plant, etc. It is required to maintain necessary spare motors and its components for one to one replacement in these systems. The OEM, i.e M/s Kirloskar - is the optimum source of supply of spare motors in these systems and there is no other suitable / optimum source for procurement. therefore, to ensure one to one replacement, M/s Kirloskar make induction motors are proposed for purchase as a proprietary item through public tender.	SME(MMU)-1&2	-
36	Supply and Guarantee of Leak proof make Metallic Bellow Face Seal Assembly	KGuj Site/Stations/Unit-1&2/CMM/MMU/23741	26-07-2022	Leak-Proof Engineering (I) Pvt Ltd	CMM/Station/Unit-1 to 4/MMU/23741/PO-72799	20-09-2022	1893481	19-12-2022	Existing Adjuster rod drive mechanism have Mechanical seals of Leak Proof Engineering make. In order to ensure one-to-one replacement of the mechanical seal in Adjuster rod drive mechanism, it is proposed to procure Mechanical seals from M/s Leak Proof Engineering (I) Pvt. Ltd. in Single Tender & Single Part Mode. In view of the above, the Competent Authority may kindly approve the procurement of Mechanical seals from M/s Leak Proof Engineering (I) Pvt. Ltd. in Single Tender & Single Part Mode.	SME(M)	OK
37	SUPPLY AND INSTALLATION OF KYOCERA MAKE FUSER KIT (FK-7125)	63006	28-07-2022	KYOCERA DOCUMENT SOLUTIONS INDIA PVT. LTD.	63006/PO/92175	20-09-2022	322434	20-10-2022	Proprietary item in nature	STE (P)	-
38	SPARES DOR BFP RECIRCULATION CONTROL VALVE	62652	10-06-2022	JAPS INC	62652/PO/92126	07-09-2022	894339	04-05-2023	Proprietary item	SME(M)	-
39	SPARES FOR GENERATOR	62843	30-06-2022	BHARAT HEAVY ELECTRICALS LIMITED	62843/PO/92082	02-09-2022	1850724	25-11-2023	Proprietary spares in nature	SME(M)	-
40	SPARES FOR 540 MWE ROBOTIC MANIPULATOR	62777	02-07-2022	TECHNOFOUR	62777/PO/92081	02-09-2022	1501196	30-11-2022	proprietary spares in nature	SUPTD(QA)	-
41	snout face metallic seal	62693	24-06-2022	HARD COATS (INDIA) PRIVATE LIMITED	62693/PO/92084	02-09-2022	5032350	01-09-2023	proprietary item	CS, TAPS-3&4	-
42	Supply of Waaree (Baumer) MAKE Temperature Switch	RR Site/Projects/Unit-7&8/CMM/CAP/9696	13-04-2022	Baumer Technologies India Pvt Ltd	RR Site/Projects/Unit-7&8/CMM/CAP/9696/e-PO/7084	03-09-2022	443800	01-12-2022	Indent was approved as per Clause No AA-2 (c) of HQI-2007 by the Competent Authority	SME (I)- 7&8	PO PLACED
43	Supply of Rubber Gasket/liner in EPDM suitable for GE (Victaulic Grooved End) coupling of size 50 mm NB x 60.3 mm OD, style 77S	CMM/TAPS-3&4/62765	01-07-2022	Nanda Manufacturing co.	62765/PO/92139	12-09-2022	33984	01-11-2022	proprietary item	SME (MMU)	-

44	PRESSURE SWITCH, SWITZER Model No: GM-204-34-K102-33-A, Range: 0.7 to 7.0 Bar, Process medium: DM water	RR Site/Stations/Unit-5&6/CMM/SPS/77818(GEM AVAILABILITY REPORT AND PAST TRANSACTION SUMMARY ID:GEM/GARPTS/21042022/ENUUIN O0771W )	11-05-2022	Wika Instruments India Private Limited	RR Site/Stations/Unit-5&6/CMM/SPS/77818(GEM AVAILABILITY REPORT AND PAST TRANSACTION SUMMARY ID:GEM/GARPTS/21042022/ENUUIN O0771W )/e-PO/55436/PO: 101534 DT. 14.09.2022	14-09-2022	1113000	23-11-2022	Indent was approved as per Clause No AA-2 (c) of HQI-2007 by the Competent Authority	SME (I) - 5&6	PO PLACED
45	HP Disola M 4015 Lube Oil	KKNPP/1&2/CMM/SPT/19298	13-04-2022	HINDUSTAN PETROLEUM CORPORATION LTD	KKNPP/12/CMM/24608/PO-60479	19-09-2022	3345300	17-11-2022	Proprietary Item	MS	-
46	PROCUREMENT OF RAW MATERIAL, FABRICATION, INSPECTION AND SUPPLY OF REACTOR GRADE INNER & OUTER FLOW TUBE	KGuj Site/Stations/Unit-1&2/CMM/MMU/23101	15-03-2022	NUCLEAR FUEL COMPLEX	CMM/Station/Unit-1 to 4/MMU/23101/PO-72796	17-09-2022	10507097	15-05-2023	It is a Zircoloy materials' tubes and only one source is known in India i.e. NFC.	SME(M)	OK
47	Supply of : Disposable cartridge glass fibre, Filter type: 1.58.1.420.750 DN 150. Fabr. 4026311/1C, Make : BOLLFILTER. as per drawing.	KGuj Site/Stations/Unit-3 to 4/CMM/CAP/23506	26-07-2022	Bollfilter India Private Limited	CMM/Station/Unit-1 to 4/CAP/23506/PO-72798	19-09-2022	417390	18-12-2022	M/s BOLL FILTER , make FILTER is installed in Primary Water System in Unit-3&4. Indent covers the Filter Elements for the filter. These items are proprietary in nature as indicated in the indent & requires one to one replacement and are part of existing design of KAPP-3&4 . . So it is proposed to procure this indented items. Competent authority is requested to kindly approve the proposal for procurement of these indented items from OEM M/s Bollfilter .	SME(M)-3&4	OK
48	SUPPLY OF LUBE OIL AND OTHER CONSUMABLE ITEMS	CMM/MAPS/MM/02360	24-05-2022	Kirloskar Chillers Pvt. Ltd	CMM/MAPS/MM/02360/manu al-PO/6101	27-09-2022	732512	26-12-2022	SINGLE TENDER CONSUMABLE FROM OEM	HEAD (C&MM)	PROPRIETARY OF OEM
49	SUPPLY OF General instruments make 3 wire duplex	KGuj Site/Stations/Unit-1 to 4/CMM/CAP/23395	21-06-2022	GAUGES BOURDON (I) PVT LIMITED (Manufacturing unit of GENERAL INSTRUMENTS CONSORTIUM)	CMM/Station/Unit-1 to 4/CAP/23395/PO-72793	16-09-2022	160480	14-01-2023	For one to one replacement in bearing housing of Condensate extraction pump.	SME(I)-3&4	OK
50	AMC for Scintillation Analyzer	KKNPP/1&2/CMM/SPT/18767	11-07-2022	Noki Technologies Pvt Ltd	KKNPP/12/CMM/24034/PO-60473	14-09-2022	118000	13-09-2023	Existing equipment/ components which are of monopoly / proprietary product of single manufacturer	SD, 1&2	-
51	Supply of spares for main plant PLC of RAPS-3&4	RR Site/Stations/Unit-3&4/CMM/SPS/77799	17-06-2022	ELECTRONICS CORPORATION OF INDIA LTD	CMM/Stations/Unit-3&4/CMM/SPS/77799/PO-101456	05-09-2022	5012657	02-06-2023	Indent is approved as per AA-2 (C) of HQI-2007 (R-5) for issuing Single Tender to OEM	M.S., RAPS-3&4	PO placed to OEM
52	Supply of HI.PERF.GLASS VIAL With POLY-CONE CAP	RR Site/Stations/Unit-3&4/CMM/FAB/77667	21-05-2022	PerkinElmer India Pvt. Ltd	CMM/Stations/Unit-3&4/CMM/FAB/77667/PO-101504	12-09-2022	241900	26-11-2022	Indent was approved as per Clause No AA-2 (c) of HQI-2007 by the Competent Authority	Head (HPU), RAPS-3&4	PO placed to authorised representative of OEM in India

53	Turbine type flow meter, model no. DN80G160, Make: Rockwin	RR Site/Stations/Unit-5&6/CMM/SPS/77294(GEM AVAILABILITY REPORT AND PAST TRANSACTION SUMMARY ID:GEM/GARPTS/24022022/XR0CUBHLM0XW)	10-03-2022	rockwin flowmeter india pvt ltd	RR Site/Stations/Unit-5&6/CMM/SPS/77294(GEM AVAILABILITY REPORT AND PAST TRANSACTION SUMMARY ID:GEM/GARPTS/24022022/XR0CUBHLM0XW)/e-PO/55358/PO: 101398 DT. 25.08.2022	25-08-2022	403230	17-11-2022	Indent was approved as per Clause No AA-2 (c) of HQI-2007 (R-5) by the Competent Authority	SME(I), RAPS 5&6	SINGLE TENDER
54	Supply of Wpil make pump spares.	RR Site/Stations/Unit-3&4/CMM/SPS/75579	04-06-2021	WPIL LTD	RR Site/Stations/Unit-3&4/CMM/SPS/75579/e-PO/101499	09-09-2022	1621403	07-04-2023	Indent was approved as per Clause No AA-2 (c) of HQI-2007 by the Competent Authority	SME (M), RAPS-3&4	PO placed to OEM
55	Supply of Neoprene Rubber Cord	CMM/MAPS/MM/02693	26-07-2022	INDIAN RUBBER PRODUCTS	CMM/MAPS/MM/02693/manual-PO/6097	23-09-2022	10677	08-12-2022	Spare part of Existing Equipment	SME(M)	Single Tender as per Proprietary nature.
56	Supply of EPDM Diaphragm	CMM/TAPS-3&4/62712	20-06-2022	Jayashree Rubber Industries	62712/PO/92114	07-09-2022	297360	05-01-2023	proprietary item	SME (I)	-
57	Service for Repair of OMICRON Make Relay Testing Kit CMC 356 Serial number: FK397L	CMM/TAPS-3&4/62743	07-07-2022	OMICRON Energy Solutions Pvt Limited	62743/PO/92108	06-09-2022	287920	21-10-2022	proprietary item	SME (E)	-
58	Supply of M/s. FENNER make Taper Lock Pulleys with Bush	62039	21-03-2022	MADAN SALES CORPORATION	62039/PO/92094	05-09-2022	157239	04-12-2022	proprietary item	SME (M)	-
59	Supply of M/s. Darshan Rubber make Inflatable Rubber Seals for Main Air Lock	CMM/TAPS-3&4/62562	02-05-2022	DARSHAN RUBBER INDUSTRIES	62562/PO/92089	05-09-2022	483705	04-11-2022	proprietary item	SME (M)	-
60	Supply of Magnetic pick up sensor and digital RPM meter (M/s. KBL make)	Site/Stations/Unit-3 to 4/CMM/CAP/20488	17-07-2021	JAY PROJECT	CMM/Station/Unit-1 to 4/CAP/20488/PO-72782	08-09-2022	75013	07-12-2022	Indented items are the spare of Fire water pump of M/S Kirlosker india. No other make equipment is suitable for the main equipment	SME(I)-3&4	OK
61	Inflatable seals for main and auxialairy air locks	RR Site/Projects/Unit-7&8/CMM/CAP/9845	30-05-2022	DARSHAN RUBBER INDUSTRIES	CMM/Projects/Unit-7&8/CAP/9845/PO/7100	09-09-2022	1581601	09-09-2023	As per AA-2(C) of HQI-2007(R-5)	ACE (RE)	Approved
62	Supply of JASH make ACV Spares	KGuj Site/Stations/Unit-1 to 4/CMM/CAP/22600	09-05-2022	Jash Engineering Ltd.	CMM/Station/Unit-1 to 4/CAP/22600/PO-72773	03-09-2022	120360	02-03-2023	The indented items are spares for the AIR CUSHION VALVES of Condenser cooling water system. The ACV'S are originally manufactured by The M/s JASH ENGINEERING LTD. Hence it is proposed to procure form the M/s Jash Engineering ltd.	SME(M)-3&4	OK
63	BHEL	NAPS/CMM/1/25842	01-01-1970	BHEL	33521	06-09-2022	7492518	06-09-2023	NAPS is having BHEL make TG Governor Valves and Governing system. Indented items are spare for TG HP Governor Valve and Governing system. Indented items are proprietary item of M/S BHEL. Therefore, Competent authority is kindly requested to give approval for purchase of indented items as a proprietary item of M/S BHEL.	CS	-
64	Supply of Spare for M/s Senergy Intellution P. Ltd. make Key management system	RR Site/Stations/Unit-3&4/CMM/SPS/77376	07-05-2022	senergy intellution pvt ltd	CMM/Stations/Unit-3&4/CMM/SPS/77376/PO/101425	30-08-2022	408556	28-11-2022	Indent was approved as per Clause No AA-2 (c) of HQI-2007 by the Competent Authority	SME (I) RAPS-3&4	PO placed to OEM



65	SUPPLY OF CRANE-SAUNDERS MAKE NEOPRENE RUBBER DIAPHRAGM & DIAPHRAGM VALVES AS PER TECHNICAL SPECIFICATION ATTACHED.	CMM/MAPS/MM/02518	26-07-2022	HI-NUC ENGINEERING PVT. LTD.	CMM/MAPS/MM/02518/manual-PO/6081	07-09-2022	821856	20-02-2023	Special item of equipment for which only one contractor developed by NPCIL	Head (C&MM)	Proprietary item
66	RATO MAKE DIGITAL INDICATORS	CMM/MAPS/CMU/02669	23-07-2022	RATO COMMUNICATIONS AND ELECTRONICS PVT LTD	CMM/MAPS/CMU/02669/manual-PO/6080	03-09-2022	357469	03-12-2022	Spare part of Existing Equipment	SME(I)	Single Tender as per Proprietary nature.
67	CMR make Exhaust Gas Temperature Sensor	KKNPP/1&2/CMM/SPT/18803	30-08-2021	CMR CONTROL SYSTEMS INDIA PRIVATE LIMITED	60421	04-08-2022	1516578	04-11-2022	Item is the proprietary product of OEM. For ensuring compatibility with the existing system, it is essential to have one to one replacement of item from OEM.	SME(I)	-
68	Rotex make solenoid valve	CMM/KAIGA1-4/KGS 3&4/61639	09-05-2022	ROTEX AUTOMATION LIMITED	CMM/KAIGA1-4/KGS 3&4/61639 /e-PO/55238	02-09-2022	51684	01-12-2022	Rotex Automation make solenoid valves of the given model are being used in EDG compressed air system. SV of the same make and model is proved for procurement as spare for the sake of compatibility with the existing system. Approval of the competent authority is requested for the same.	SME (CMU)-3&4	-
69	STATION MW INDICATORS	CMM/MAPS/CMU/02651	23-07-2022	Electronet Equipments Pvt. Ltd.	CMM/MAPS/CMU/02651/manual-PO/6076	02-09-2022	98176	19-11-2022	Spare part of Existing Equipment	SME(I)	Single Tender as per Proprietary nature.
70	Hand geometry readers compatible with ECIL make iBAC controller.	RR Site/Stations/Unit-5&6/CMM//75878 ( GeM Availability Report and Past Transaction Summary: Report ID: GEM/GARPTS/20052021/V71ZNNV0EO6C )	03-06-2021	ELECTRONICS CORPORATION OF INDIA LIMITED	RR Site/Stations/Unit-5&6/CMM//75878 ( GeM Availability Report and Past Transaction Summary: Report ID: GEM/GARPTS/20052021/V71ZNNV0EO6C )/e-PO/55200/PO: 101370 DT. 23.08.2022	23-08-2022	25547201	20-04-2023	Indent approved as per Clause AA-2(c) of HQI-2007(R5)	Site Director, RR Site	Indent and Tender was issued Single Tender as Per AA-2(C) (FC for Non-Local Supplier- Imported Items- on Nomination as per Make In India Policy )
71	RATO MAKE	NAPS/CMM/1/25531	01-01-1970	RATO COMMUNICATIONS AND ELECTRONICS PRIVATE LIMITED	33492	27-08-2022	388080	22-02-2023	There are 40 numbers of M/s Rato make indicators are installed in upgrading plant and waste management plant system at NAPS-1 & 2. These were installed since long back. No spare is available at NAPS for these indicators. These are installed on control room panels so no other instrument can be installed in place of this (because of cut out size). So it is proposed to procure 20 numbers of indicating alarm meters make M/s RATO model SBGISP-1701 to meet the requirement of next 5 years. Approval of competent authority is requested for procurement of 20 numbers of indicators make M/s RATO, model SBGISP-1701.	SME(I)	-

72	BDK MAKE VALVE	NAPS/CMM/1/255 65	01-01-1970	IMS ENTERPRISES PVT LTD.	33491	26-08-2022	87262	22-02-2023	M/s BDK make Diaphragm valves have been installed in UGP plant, ALPAS and SSS systems. For replacement of the bonnet assembly, spare bonnet assembly should be interchangeable with existing valves. To have interchangeability of spare Bonnet assemblies with existing equipment's, it is proposed to procure spare bonnet assemblies for existing diaphragm valves from M/s WEIR BDK. CA may kindly approve the indent for procurement of M/s WEIR BDK make spare bonnet assemblies on spare parts of existing equipment basis.	SME(M)	-
73	K SMART CONTROLLER, RETROFITTING WORK OF K-SMART CONTROLLER	62396	23-04-2022	KIRLOSKAR CHILLERS PRIVATE LIMITED	62396/PO/92052	24-08-2022	5964370	18-11-2022	proprietary item	SD TAPS 3&4	-
74	Spares for Discharge Valve Fouress Make	62778	07-07-2022	KENIL INTERNATIONAL	62778/PO/92051	24-08-2022	1300248	14-02-2023	proprietary spares in nature	SME (M)	-
75	Supply of Vacuum interrupter (Make : CG Power & Industrial Solutions Ltd.)	KGuj Site/Stations/Unit-3 to 4/CMM/CAP/23614	18-05-2022	Electro Services	CMM/Station/Unit-1 to 4/CAP/23614/PO-72765	29-08-2022	168619	28-10-2022	The indented item "Vacuum interrupter" (VI) bottle is an accessory for 6.6kV switchgears supplied for KAPP-3&4 and in case of failure of Vacuum Interrupter bottle, same needs to be replaced with similar to 'existing one' to match/fulfill the technical requirement. As "M/s CG Power and industrial solutions limited" who are the OEM and NPCIL approved vendor, hence it is proposed to procure the indented material by them only.	PE(E)-3&4	OK
76	Supply of Omega 612 oil	CMM/Kaiga 1-4/KGS1&2/61665	01-07-2022	M/S. Permaweld Private Limited	CMM/Kaiga 1-4/KGS1&2/61665/PO-46301	30-08-2022	434051	30-09-2022	The existing oil in IDCT fan gear box is Omega oil SAE 30 at Kaiga site. Indented items are required for regular top up and one to one replacement during PM. Hence, it is proposed to procure the indented items from M/s ITW PP & K Ltd or its authorized dealer through GeM. Competent authority may kindly approve the above proposal.	SME(MMU)-1&2	-
77	SKF Bearings	CMM/Kaiga 1-4/KGS1&2/61624	04-06-2022	M/S. DHIRAJLAL MORARJI	CMM/Kaiga 1-4/KGS1&2/61624/PO-46302	30-08-2022	266060	29-12-2022	KGS ventilation system Fans and AHUs are supplied with M/s SKF make bearings. Hence, to ensure proper fitment and compatibility with existing equipment, it is proposed to procure M/s SKF make bearings from OEM or authorised dealers of OEM on public tender mode. These are required for one to one replacement of existing ones.	SME(MMU)-1&2	-
78	Spares for Microwave Ashing System	62429	10-06-2022	I R TECHNOLOGY SERVICES PVT LTD	62429/PO/92020	18-08-2022	685934	15-11-2022	proprietary item	SD TAPS 1&2	-
79	LV power supply module N2005	62901	23-07-2022	ELECTRONIC CORPORATION OF INDIA LTD.	62901/PO/92073	27-08-2022	2350991	18-02-2024	proprietary spares item in nature	MS TAPS 3&4	-
80	SPARES FOR CLO2 BOOSTER PUMPS	CMM/TAPS-3&4/62572	02-05-2022	Anticorrosive Equipment Pvt. Ltd.	62572/PO/91979	05-08-2022	445395	04-10-2022	proprietary item in nature	SME (M)	-
81	Supply of Plunger assembly for Rotex make solenoid valve	KGuj Site/Stations/Unit-3to4/CMM/CAP/23816	26-07-2022	ROTEX AUTOMATION LIMITED	CMM/Station/Unit-1 to 4/CAP/23816/PO-72761	25-08-2022	42480	23-11-2022	It is proprietary item of M/S ROTEX AUTOMATION.As it is a part of rotex make solenoid valve.It is critical component and for one to one replacement .it is procured.	SME(I)-3&4	OK

82	M/s SKF make BEARING	CMM/Kaiga 1-4/KGS3&4/61719	09-06-2022	M/S. M.P. BROTHERS	CMM/Kaiga 1-4/KGS3&4/61719/PO-46286	20-08-2022	489700	20-10-2022	M/s SKF make bearings are installed in originally supplied condenser vacuum Pump. As vacuum pump is critical equipment directly affecting the condenser vacuum & generator power output, hence it proposed to retain the same make of bearings for one to one replacement. Competent authority may approve proposal for procurement of SKF make bearing from OEM or its authorized dealer only on public tender basis.	SME(MMU)-3&4	-
83	IPBD SPARES	CMM/Kaiga 1-4/KGS3&4/60463	11-05-2022	M/S. REEP INDUSTRIES (P) LTD	CMM/Kaiga 1-4/KGS3&4/60463/PO-46284	20-08-2022	1649817	26-12-2022	IPBD OF KGS-3&4 WAS SUPPLIED BY REEP INDUSTRIES. IPBD IR VALUE IS MAINTAINING LOW IN UNIT-4 AND SERVICES OF OEM IS REQUIRED TO ATTEND THE DEFICIENCY. ALSO SPARES ARE REQUIRED FOR ONE TO ONE REPLACEMENT. IT IS PROPOSED TO PROCURE SPARES AND UTILISE THE SUPERVISORY SERVICES OF FROM M/S REEP	SME(EMU)-3&4	-
84	SKF make bearing 6316/C3 for Hydrogen cooler NAPW booster pump motor	CMM/Kaiga 1-4/KGS3&4/61718	07-06-2022	M/S. SAGANNA INDUSTRIAL SPARES	CMM/Kaiga 1-4/KGS3&4/61718/GEMC-511687715758593/PO-81922	19-08-2022	91308	18-09-2022	At present no inventory exists for NAPW Hydrogen cooler booster pump motor bearing. Each unit has 2 such pumps & each pump require 2 such bearings, so in total 8 bearings are required to replace the bearing one to one and 4 spare bearings to tackle exigency if any. The motor bearing of these pumps in KGS-3&4 are proposed to be replaced in a phased manner in BSD's of KGS-3&4. Originally SKF make bearings are supplied with the pump by the OEM and keeping in mind the criticality of the equipment it is proposed to retain the same make for one to one replacement of the bearing in the equipment. Hence competent authority is requested to accord the proposal for procurement of SKF make bearing on Public tender basis from authorized dealer only.	SME(EMU)-3&4	-
85	Supply of M/s Hydac make Water sensing detector	KGuj Site/Stations/Unit-1 to 4/CMM/CAP/23507	21-06-2022	HYDAC INDIA PRIVATE LTD	CMM/Station/Unit-1 to 4/CAP/23507/PO-72755	20-08-2022	437107	18-03-2023	M/s HYDAC is OEM for both Existing and spare initiated equipment. M/s HYDAC make water sensing detector and 7- segment display are only compatible or suitable with existing mounting, termination and fittings arrangement so that these equipments are to be procured for one to one replacement in BFP lube oil system.	SME(I)	OK
86	SUPPLY OF M/s. RATO make 4 channel Hand controller	KGuj Site/Stations/Unit-1 to 4/CMM/CAP/23669	21-06-2022	RATO COMMUNICATIONS AND ELECTRONICS PVT LTD	CMM/Station/Unit-1 to 4/CAP/23669/PO-72757	20-08-2022	178180	18-12-2022	M/S RATO make hand controller is used in Auxiliary feed water system and it is only technically compatible and suitable with existing mounting arrangement at main control room panel. so that for one to one replacement this equipment is to be procured.	SME(I)	OK
87	SUPPLY OF M/S Chemtrolsamil make Level switch	Site/Stations/Unit-1 to 4/CMM/CAP/2340	21-06-2022	CHEMTROLS SAMIL (I) PVT. LTD.	CMM/Station/Unit-1 to 4/CAP/23407/PO-72756	20-08-2022	88854	18-12-2022	For one to one replacement in BFP Lube oil system	SME(I)	OK

88	Toner Cartridge	CMM/Kaiga 1-4/COMMON 1-4/61893	06-07-2022	REPROGRAPHICS INDIA	GEMC-511687746751872/PO-81917	17-08-2022	109000	16-09-2022	Repro print 6M lotter purchased in the year of march 2021 vide PO No. 80723. Total 3 toner cartidge supplied along with machine are now exhausted M/s Repro print 6m is OEM for AO Size plotter is used in Plant site. OEM to ensure genuinity of the spares comsumavles and reliable service. Cartidge mentioned in the indent is not interchangeable and compatible with other make, Hence it is proposed to go far REPRO PRINT 6M make Proprietary basis on Public tender in GeM. Competent authority may kindly approve the above proposal.	ACE (E&US)	-
89	CRANKCASE	NAPS/CMM/1/25528	01-01-1970	JOY MARKETING COMPNAY PVT LTD	33469	08-08-2022	860750	06-11-2022	Indented items are spare of M/s KG Khosla make Air compressor. M/s KG Khosla nolonger exists and company is now known as M/s Kirloskar pneumatic. Hence, M/s Kirloskar Pneumatic is technically OEM of Main Air Compressor. Indented item(s) are spare parts, attachments, additions, ancillaries, accessories to the existing equipment/component which are of a monopoly/proprietary product of a single manufacturer i.e. M/s Kirloskar Pneumatic. Hence it is proposed to procure M/s Kirloskar Pneumatic make spare on single brand proprietary basis either from OEM or authorized distributor of OEM.	SME(M)	-
90	Data Logger with display monitor with additional advance display compatible with portable anemometer and Komoline make AWS.	KAPS-1&2/C&MM/ESL/23707	25-06-2022	Komoline Aerospace Limited	CMM/Station/Unit-1 to 4/ESL/23707/PO-72747	16-08-2022	311756	15-10-2022	Komoline make AWS is operational at Kakrapar site since 2018. Data logger and respective software will be used for Komoline make AWS. These items will be procured from OEM i.e. M/S Komoline Aerospace Ltd. Ahmedabad.	CE(U&ES)	OK
91	Supply of ELEKTRA make Process Indicating meters	RR Site/Stations/Unit-3&4/CMM/MIA/77608	20-04-2022	elektra Precision Systems	RR Site/Stations/Unit-3&4/CMM/MIA/77608/e-PO/54966	30-07-2022	430110	26-01-2023	Indent was approved as per Clause No AA-2 (c) of HQI-2007 by the Competent Authority	SME (I) RAPS-3&4	PO placed to OEM

92	Repair of BHEL make HT motor (rated 1450 KW, 6.6 KV, 4P) for CEP as per specification.	KGuj Site/Stations/Unit-3 to 4/CMM/CAP/23712	24-06-2022	BHARAT HEAVY ELECTRICALS LTD	CMM/Station/Unit-1 to 4/CAP/23712/PO-72749	16-08-2022	14573000	16-04-2023	Indented items are spares and services for maintenance and reconditioning of 02 nos. of CEP motors engineered, manufactured and supplied by M/s BHEL. The equipment is proprietary product of M/s BHEL. The deficient motors were sent to M/s BHEL Bhopal works for determining the extent of repair. The transportation of motors was executed through WO-80523 awarded on M/s BHEL. As a single point responsibility and assuring the performance of equipment, only OEM shall carry out this job. Hence as per clause 7.c.i of HQI:2015-R-1, this indent is proposed as Single Tender basis on M/s BHEL (PSU) for urgently carrying out the work. This indent cover the cost towards supply of spares and manpower charges for repairing the motors at M/s BHEL Bhopal works. The dispatch of motors will be after repair and routine performance testing. Transportation charges and applicable insurances is covered in WO-80523.	PD-3&4	OK
93	Supply of Spares for Entech control make actuators	KGuj Site/Stations/Unit-1 to 4/CMM/CAP/22240 (GeM Availability Report and Past Transaction Summary Report ID:GEM/GARPTS/07062021/HRQ4HNDDNZ6H)	08-06-2021	Entech Controls	CMM/Station/Unit-1 to 4/CAP/22240/PO-72743	12-08-2022	2276778	09-05-2023	The indented items are for actuators installed at KAPP#3&4 which is designed and manufactured by M/s Entech controls and hence other make spares may not fit well in the supplied equipment / components. It is further certified in compliance to clause no. AA-2(C) of HQI-2007 (R-5) that "Indented item(s) are spare parts, attachments, additions, ancillaries, accessories to the existing equipment / component which are of a monopoly / proprietary product of a single manufacturer".	MS-3&4	OK
94	SUPPLY OF SWITZER MAKE PRESSURE SWITCH	KGuj Site/Stations/Unit-3 to 4/CMM/CAP/22642	27-09-2021	SWITZER PROCESS INSTRUMENTS PRIVATE LIMITED	CMM/Station/Unit-1 to 4/CAP/22642/PO-72745	12-08-2022	960526	10-11-2022	These items are required for one to one replacement to maintain system spares.	SME(I)-3&4	OK
95	SPARES FOR VAM CHILLER	CMM/MAPS/MM/02387	14-07-2022	M/S.TETRA MAXX ENGINEERING SERVICES	CMM/MAPS/MM/02387/manual-PO/6048	22-08-2022	1997703	20-12-2022	Spare part of Existing Equipment (One to one replacement)	SME(M)	Single Tender as per Proprietary nature.
96	Supply of M/s. Hydac make clogging indicator, pressure guage, RTD as per tender specification.	KGuj Site/Stations/Unit-3 to 4/CMM/CAP/23396	27-05-2022	HYDAC INDIA PRIVATE LTD	CMM/Station/Unit-1 to 4/CAP/23396/PO-72748	16-08-2022	319913	14-03-2023	For one to one replacement in the field for turbine control fluid system.	SME(I)-3&4	OK
97	Supply of Transmitter assembly for "Techtrol" make Side Mounted Magnetic Liquid Level Gauge.	KGuj Site/Stations/Unit-3 to 4/CMM/CAP/23276	16-06-2022	PUNE TECHTROL PVT LTD	CMM/Station/Unit-1 to 4/CAP/23276/PO-72744	12-08-2022	322612	10-12-2022	M/s Techtrol Make Magnetic level gauges are installed in Pre Treatment Plant for acid level measurement. For remote display, transmitter assembly is required. To maintain sufficient critical spares and to replace the faulty instruments in the field, procurement of the items is proposed.	SME(I)-3&4	OK

98	OIL SEAL	NAPS/CMM/1/255 89	01-01-1970	KSB LIMITED	33454	03-08-2022	319117	03-08-2023	Indented Items are spare parts for KSB make Pump Model No: Pump Model: CPK EB 200-400 (Pump S.N:150212-75), Model No: CPK CM 50-200 (Pump S.N:250231-751) and being used as Hydrogen Booster Pump and Stator Water Pump respectively in both Unit. Performances of these pumps are found satisfactory. Hence Competent authority is kindly requested to give approval for purchase of Indented Items as a proprietary item of M/S KSB. Competent authority may review and approve the same.	SME(M)	-
99	GASKET	NAPS/CMKM/1/25 590	01-01-1970	AMPEE TRADING COMPANY	33453	02-08-2022	9214101	29-12-2022	Indented items are the spares of unit 1& 2 moderator pumps, designed and developed by M/s Kirloskar Brothers Limited(KBL). Detailed components dimensions, drawings, specifications, testing requirements etc. are not known to us and hence spares cannot get developed from any alternative source. Hence, indent is raised as proprietary to procure the spares from OEM i.e. M/s KBL(or its authorized dealer/distributor)	CS	-
100	SKF	NAPS/CMM/1/255 56	01-01-1970	INDUSTRIAL BEARING & MILL SOTES	33452	02-08-2022	1042126	30-10-2022	The indented bearing will be used in Feed Water System. They are safety related equipment's and any outage of this equipment directly affects plant operational safety and plant performance indicators. The use of specified make (M/s SKF) bearings recommended by the OEM i.e M/s KSB Pumps/ M/s NGEF Motors. Failure of bearing in feed water may effect plant performance so as per OEM letter Competent authority may be kindly give approval for purchase of indented items as a proprietary.	SME(M)	-
101	WHEEL SHAFT	NAPS/CMM/1/258 65	01-01-1970	AMBA TRACHNO TOOLS	33455	03-08-2022	872610	31-01-2023	Gear box installed in RWPH for CLF drive unit, Flash mixture and alum tank agitator unit is of M/s Premium transmission limited make. These gear box as well as its spares are proprietary item of M/s Premium transmission limited. In view of above it is propose to procure the indented items from M/s Premium transmission limited on proprietary basis.	SME(M)	-
102	ANNUAL MAINTENANCE CONTRACT FOR PITNEY BOWES DIGITAL FRANKING MACHINE NO. DM 140I NO.P688267 FOR TWO YEARS. Maintenance Services to be provided once every six month and as and when the breakdown call	RR Site/Stations/Common/CMM/MISC/ 78093 ( GeM Availability Report and Past Transaction Summary: Report ID: GEM/GARPTS/300 62022/DR96B3XLT EMW )	12-07-2022	M/s. Pitney Bowes India Pvt. Ltd.	CMM/Station/Common/MISC/ 78093/PO-101346	16-08-2022	34692	15-08-2024	Indent was approved as per Clause No AA-2 (c) of HQI-2007 by the Competent Authority	Head(HR)	PO placed to OEM

103	Gear Box	KKNPP/1&2/CMM/SPT/18641	28-01-2022	Shanthy Gears Limited	KKNPP/12/CMM/23794/PO:60426	08-08-2022	95741	03-10-2022	Item is procured from OEM and are spares / replacement for existing equipment	SME(M)	-
104	CUMMINS MAKE DIESEL ENGINE SPARES	62629	11-06-2022	Trident Services Private Limited	62629/PO/91991	06-08-2022	725904	01-02-2023	proprietary spares in nature	SME (M)	-
105	Spares for Cummins Diesel Engine	62628	11-06-2022	Trident Services Private Limited	62628/PO/91989	06-08-2022	498552	02-01-2023	proprietary spares in nature	SME (M)	-
106	OEM/COMPATIBLE CARTIDGE / CONSUMABLE	62555	10-06-2022	GOLDLINE I-TECH SOLUTIONS PRIVATE LIMITED	62555/PO/91986	06-08-2022	201820	04-09-2022	proprietary spares in nature	ACE (E&US)	-
107	SPARES FOR VERTICLE TURBINE PUMPS	62630	10-06-2022	VEENA ENGINEERING CO.	62630/PO/91980	05-08-2022	2342304	31-12-2022	proprietary item in nature	MS TAPS 3&4	-
108	SPARES FOR BREAK ASSEMBLY	62627	17-06-2022	MACO CORPORATION (INDIA) PRIVATE LIMITED	62627/PO/91976	04-08-2022	1770000	29-01-2023	proprietary spares in nature and procuring through OEM	SME (M)	-
109	Combined Particulate and Iodine Filter	62698	04-06-2022	Industrial Filter Corporation	62698/PO/91963	01-08-2022	2787750	29-12-2022	proprietary item	MS TAPS 3&4	-
110	Spare set of fasteners for clamping PLATE & CLAMP of baldes of IDCT fan, Make: A.I.C. Pvt. Ltd., MOC:SS-904L	RR Site/Stations/Unit-5&6/CMM/SPS/77829(GEM AVAILABILITY REPORT AND PAST TRANSACTION SUMMARY ID: GEM/GARPTS/20042022/EGESS2WQ3LRD)	10-05-2022	AMALGAMATED INDUSTRIAL COMPOSITES PVT LTD	RR Site/Stations/Unit-5&6/CMM/SPS/77829(GEM AVAILABILITY REPORT AND PAST TRANSACTION SUMMARY ID: GEM/GARPTS/20042022/EGES S2WQ3LRD)/e-PO/54874/PO: 101339 DT. 10.08.2022	10-08-2022	1646218	09-11-2022	Indent was approved as per Clause No AA-2 (c) of HQI-2007 by the Competent Authority	SME(M), RAPS 5&6	SINGLE TENDER
111	SINGLE SCREW UT PUMP MODEL NO E4H-375 WITH PULLEY.	RR Site/Stations/Unit-1&2/FAB/77141	08-02-2022	ADVANCE TECMATE PVT. LTD.	RR Site/Stations/Unit-1&2/FAB/77141/PO/101335	06-08-2022	715771	02-02-2023	Indent was approved as per Clause No AA-2 (c) of HQI-2007 by the Competent Authority	SME (FHU) RAPS-1&2	SINGLE TENDER
112	MOTOR SPIRIT (PETROL) BS-VI 'IOC' product to be supplied in 12 KL IOC tanker for period of 12 MONTHS on as and when required basis (Required for RAPS Consumer pump, Phase-II)	RR Site/Stations/Common/CMM/PROV/77651 ( GeM Availability Report and Past Transaction Summary: Report ID: GEM/GARPTS/02032022/DW7JHG8J8JK9 )	23-03-2022	Indian Oil Corporation Limited	CMM/Station/Common/PROV/77651/PO-101337	08-08-2022	61772170	08-08-2023	Indent was approved as per Clause No AA-2 (c) of HQI-2007 by the Competent Authority	Site Director	PO placed to OEM
113	Supply of Two way solenoid valve, Avcon catalogue number:- SV-9100H504/CF8M/S6/T/ES6	KGuj Site/Stations/Unit-1 to 4/CMM/CMU/21798	11-04-2022	AVCON CONTROLS PRIVATE LIMITED	CMM/Station/Unit-1 to 4/CMU/21798/PO-72740	08-08-2022	338825	16-11-2022	M/s Avcon control PVT Ltd makes Solenoid valve are used TG system for LP spray application& working. Indented item is spare of existing need one to one replacement & same make and model is required and other makes may not be matched and pipe modification may needed. Hence this is proprietary items.	SME(I)	OK

114	MICRO SWITCH	CMM/MAPS/EM/02584	06-07-2022	JAI BALAJI CONTROL GEARS PVT.LTD	CMM/MAPS/EM/02584/manua I-PO/6042	10-08-2022	121918	09-11-2022	ONE TO ONE REPLACEMENT. PROPRIETARY PRODUCT.	HEAD (C&MM)	PROPRIETARY PRODUCT OF SINGLE MANUFACTURE AND ONE TO ONE REPLACEMENT
115	Spare part for M/s STEIN Seal Company make Gas Seal (Stein Seal) for Primary Circulation pump, Pump Model RSR 350. Spare part description-Stein seal make Shaft sleeve Part Number- SSCY 5507-7	RR Site/Stations/Unit-5&6/CMM/CAP/76225	06-07-2021	Domain Industrial Solutions	RR Site/Stations/Unit-5&6/CMM/CAP/76225 /e-PO/54856/po: 101314 dt. 03.08.2022	03-08-2022	9593843	19-07-2023	Spares parts, attachment of existing equipment as per Indent approved as per AA-2 C of HQI-2007 by the competent authority	SD RAPS-5&6	Indent and Tender was issued Single Tender as Per AA-2(C) (FC for Non-Local Supplier- Imported Items- on Nomination as per Make In India Policy )
116	REFILLING OF ROLI-3 INDUSTRIAL GAMA RADIOGRAPHY	CMM/MAPS/QAI/02581	11-07-2022	M/S. BOARD OF RADIATION & ISOTOPE TECHNOLOGY	CMM/MAPS/QAI/02581/manua I-PO/6039	10-08-2022	102424	10-10-2022	PROPRIETARY PRODUCT OF SINGLE MANUFACTURER	QA SUPNDT	BRIT (DAE), MUMBAI RADIOGRAPHY RELATED PRODUCT.
117	Ram Assembly Spares	CMM/KAIGA1-4/KGS1&2/60622	22-04-2022	MTAR Technologies (P) Ltd	CMM/KAIGA1-4/KGS1&2/60622/PO/46263	06-08-2022	2460890	05-08-2024	These items are used in FM system. Existing items are to be one to one replaced with the New items. M/s MTAR, Hyderabad is original manufacturer of these items hence it is recommended for single enquiry.	SME(FHU)-1&2	-
118	Supply of Coils for ROTEX make Solenoid Valve	CMM/TAPS-3&4/62571	02-05-2022	ROTEX AUTOMATION LIMITED	62571/PO/91978	04-08-2022	82600	02-11-2022	proprietary item in nature	SME (FHU)	-
119	AEROSHELL FLUID 41 HYDRAULIC OIL	CMM/Kaiga 1-4/KGS3&4/61732	06-06-2022	M/S. R.C. ENTERPRISE	CMM/Kaiga 1-4/KGS3&4/61732/PO-46255	03-08-2022	172044	18-10-2022	The circuit brackers of 400 KV switchyards is M/s. BHEL make. The breackers are hydraulically operated and the oil used in the breacker is AEROSHELL FLUID-41. Form the commissioning time the AEROSHELL fluid-41 is used in these breackers. The OEM ofthe breacker has recommended for usage of the mentioned specific brand in its bracker. The same brand is being used from the commiddioning time till date. Present procurement action is initiated to procure the same brand as recommended by OEM and also the one being used from the initial days. the present procurement is initiated to replanish the oil in the circuit breacker during routine mainatance. Hence this procurement is done for one-to-one replacement of already existing hydraulic oil in the existing circuit bracker.	SME(EMU)-3&4	-
120	Alstom make auxiliary relay model CAG14AF15A	CMM/Kaiga 1-4/KGS3&4/60357	10-05-2022	M/S. Bipinkumar Electric Corporation	CMM/Kaiga 1-4/KGS3&4/60357/GEMC-511687766823739/PO-81896	02-08-2022	1917571	22-08-2022	Spares auxiliary relays for 415V switchgear are required to be compatible with existing model and of OEM/Alstom make, for reliable operation and matching contact configuration. Hence PT with brand approval is proposed.	SME(EMU)-3&4	-
121	SPARES FOR RADIATION MONITORING SYSTEM	RR Site/Stations/Unit-3&4/CMM/MIA/77884	12-05-2022	ELECTRONICS CORPORATION OF INDIA LTD	RR Site/Stations/Unit-3&4/CMM/MIA/77884/e-PO/101323	03-08-2022	1832035	03-08-2023	Indent was approved as per Clause No AA-2 (c) of HQI-2007 by the Competent Authority	SME (I) RAPS-3&4	PO placed to OEM



122	SUPPLY OF HIGH SPEED DIESEL & MOTOR SPIRIT ON RATE OF CONTRACT FOR PERIOD OF TWO YEARS	62742	28-06-2022	INDIAN OIL CORPORATION LIMITED	62742/PO/91962	01-08-2022	25962547	31-07-2024	proprietary Item	SD TAPS 1&2	-
123	Non-comprehensive Annual maintenance service & contract visit for Thermo fisher Scientific (Dionex Aquion) Liquid ion Chromatograph (Sr. No. 180860103) for two years as per the attached annexure-1	62536	17-05-2022	THERMO FISHER SCIENTIFIC INDIA PVT. LTD.	62536/PO/91966	01-08-2022	212400	31-07-2024	proprietary Item	CS TAPS 1&2	-
124	M/s. KSB MIL make Actuator Diaphragm for Control Valve	CMM/TAPS-3&4/62525	02-05-2022	KSB MIL Controls Limited	62525/PO/91965	01-08-2022	183796	19-12-2022	proprietary Item	SME (I)	-
125	Spares for Ventilation system	KGuj Site/Stations/Unit-1 to 4/CMM/CAP/23735	21-06-2022	CORE Energy Systems Pvt. Ltd.	CMM/Station/Unit-1 to 4/CAP/23735/PO-72733	03-08-2022	487240	31-08-2022	Core energy make chiller are used in KAPS 3&4 ventilation system.The items are attachment to existing equipment which are of a proprietary product of a single manufacturer.So it is proposed to procure them through single tender mode as per clause AA-2(c) of HQI 2007 R-5	SME(E)	OK
126	M/S General make Temperature Indicating Switch and Flow Switch	KGuj Site/Stations/Unit-3 to 4/CMM/CAP/23288	31-05-2022	GAUGES BOURDON (I) PVT LIMITED (Manufacturing unit of GENERAL INSTRUMENTS CONSORTIUM)	CMM/Station/Unit-1 to 4/CAP/23288/PO-72728	02-08-2022	489582	30-11-2022	One to one replacement of Temperature indicating switch and flow switch which are used for BFP.	SME(I)	OK
127	Supply of Level Switch (Make : Chemtrols Samil) as per specification	KGuj Site/Stations/Unit-3 to 4/CMM/CAP/23426	13-06-2022	CHEMTROLS SAMIL (I) PVT. LTD.	CMM/Station/Unit-1 to 4/CAP/23426/PO-72723	02-08-2022	67024	30-11-2022	For one to one replacement of level swich if Primary Pressurizing Pump	SME(I)	OK
128	Supply of turbidity meter bulbs	KKNPP/12/CMM/SPT/19514	04-06-2022	SYSTRONICS INDIA LIMITED	KKNPP/12/CMM/1225213/PO-60394	27-07-2022	31860	26-08-2022	One to one replacement, procured from OEM	Station Chemist	-
129	Supply of Pune Techtrol make Level switch & LIS	KGuj Site/Stations/Unit-3to4/CMM/CAP/23444	07-04-2022	PUNE TECHTROL PVT LTD	CMM/Station/Unit-1 to 4/CAP/23444/PO-72725	02-08-2022	168794	30-11-2022	For one to one replacement in condenser and Deaerator	SME(I)	OK
130	M/s Siemens/ Flender (OEM) recommended M/s IOCL make synthetic PAO Oil , Servosyngear Plus 460 of Viscosity ISO Grade-460, packed in non-returnable MS/HDPE barrels of capacity 210 liters for IDCT fan gearbox	RR Site/Stations/Unit-5&6/CMM/POL/77817(GEM AVAILABILITY REPORT AND PAST TRANSACTION SUMMARY ID:GEM/GARPTS/25042022/18UENS VL92TD)	13-05-2022	Indian Oil Corporation Ltd	RR Site/Stations/Unit-5&6/CMM/POL/77817(GEM AVAILABILITY REPORT AND PAST TRANSACTION SUMMARY ID:GEM/GARPTS/25042022/18UENSVL92TD)/e-PO/54766/PO:101301 DT. 01.08.2022	01-08-2022	1758761	30-09-2022	proprietary in nature-Indent was approved as per Clause No AA-2 (c) of HQI-2007 by the Competent Authority	SME(E), RAPS 5&6	SINGLE TENDER

131	M/s Shreyas make Current (I) to Pressure (P) transducer, Model No: STD-5131	RR Site/Stations/Unit-5&6/CMM/SPS/77796(GEM AVAILABILITY REPORT AND PAST TRANSACTION SUMMARY ID: GEM/GARPTS/25052022/R2TZ08A83 MJD)	14-06-2022	SHREYAS INSTRUMENTS PRIVATE LTD	RR Site/Stations/Unit-5&6/CMM/SPS/77796(GEM AVAILABILITY REPORT AND PAST TRANSACTION SUMMARY ID: GEM/GARPTS/25052022/R2TZ08A83MJD)/e-PO/54764/PO: 101287 DT. 30.07.2022	30-07-2022	735435	28-10-2022	proprietary in nature-Indent approved as per Clause AA-2(c) of HQI-2007(R5) for issue of single tender to OEM	SME(I)	This file belong to indent no :- 77996 not 77796 & Single Tender Case
132	Supply of Battery powered turbine flow meter	RR Site/Projects/Unit-7&8/CMM/CAP/9659	20-04-2022	Electronet Equipments Pvt. Ltd.	RR Site/Projects/Unit-7&8/CMM/CAP/9659/e-PO/7079	29-07-2022	440362	27-09-2022	Indent was approved as per Clause No AA-2 (c) of HQI-2007 by the Competent Authority	SME (E) - 7&8	PO Placed
133	Alfa Laval make Gasket EPDM CT and EPDM Clip for Heat Exchanger	KKNPP/1&2/CMM/SPT/19465	19-02-2022	HETAL ENTERPRISE	KKNPP/12/CMM/1225066/PO: 60410	30-07-2022	2017517	03-12-2022	Items are spare channel plate gaskets for M/s. Alfa Laval make KBA Plate type Heat Exchanger. Only OEM or authorized dealers can supply the items.	MS	-
134	ELGI Make I&C Spares for Oil Free Air Compressor	KKNPP/1&2/CMM/SPT/19435	29-01-2022	Kumari Engineering Enterprises	KKNPP/12/CMM/1225063/PO: 60408	30-07-2022	2405501	28-10-2022	Items are proprietary for one to one compatibility with the existing system. Procured from OEM authorized dealer.	MS	-
135	Coupling Spider Spares	KKNPP/1&2/CMM/SPT/19419	02-03-2022	KTR Couplings India Pvt Ltd	KKNPP/12/CMM/1225045/PO: 60403	30-07-2022	33451	23-09-2022	Item is of Proprietary nature and no one else can supply. RF supplied new design JOPs are supplied with M/s KTR make POLY-NORM AR65.	SME(M)	-
136	DE Labyrinth seal Kit for DG alternator bearings	KKNPP/1&2/CMM/SPT/1225443	16-07-2022	Nidec Industrial Automation India Private Ltd	KKNPP/12/CMM/1225443/PO-60407	30-07-2022	7415233	24-09-2022	One to one replacement, procured from OEM	CS	-
137	THERMO FISHER MAKE CHEMICALS	61145	28-04-2022	TRIDENT EQUIPMENTS PRIVATE LIMITED	61145/PO/91933	19-07-2022	881847	16-10-2022	proprietary item	SME (I)	-
138	Supply of Perkin Elmer LSA Spares	62499	02-05-2022	PERKINELMER (INDIA) PRIVATE LIMITED	62499/PO/91892	08-07-2022	2053705	06-10-2022	proprietary spares	SD, TAPS-1&2	-
139	Supply of Baumer Make Temperature Gauge and Differential Pressure Switch, Level Switch, RTD Sensors.	KGuj Site/Stations/Unit-3 to 4/CMM/CAP/23398	05-04-2022	Baumer Technologies India Pvt Ltd	CMM/Station/Unit-1 to 4/CMU/23398/PO-72712	28-07-2022	242844	25-11-2022	For one to one replacement in the Turbine Lube oil treatment system	SME(I)-3&4	OK
140	Supply & replacement of BIPAP Machine	62581	27-05-2022	M/s. ResMed India Pvt. Ltd.	62581/PO/91954	29-07-2022	56479	19-08-2022	proprietary item in nature	Medical Supt. Hospital	-
141	Service for repair of Helium Leak Detector (PIS-VS-30) and Supply of Lubrication OilSupply of 24 VDC power supply SMPS	CMM/TAPS-3&4/62741	22-06-2022	Phoenix Industrial Solutions	62741/PO/91906	15-07-2022	495600	12-12-2022	proprietary item	CS TAPS	-
142	IOCL make oil, Servo mesh SP 320	RR Site/Project/Unit-7&8/CAP/9571	14-02-2022	Indian Oil Corporation Ltd	CMM/Project/Unit-7&8/CAP/9571/PO/7067	23-07-2022	307768	06-09-2022	proprietary in nature -Indent was approved as per Clause No AA-2 (c) of HQI-2007 by the Competent Authority	SME(M)	PO placed to OEM

143	Reed Switch Assembly for M/s Rotex make solenoid valve of 15NB size, valve Code- SR-532/10	RR Site/Stations/Unit-5&6/CMM/SPS/77814(GEM AVAILABILITY REPORT AND PAST TRANSACTION SUMMARY ID:GEM/GARPTS/30032022/7K59RPQWDLV)/e-0032022/7K59RPQWDLV)	23-04-2022	ROTEX AUTOMATION LIMITED	RR Site/Stations/Unit-5&6/CMM/SPS/77814(GEM AVAILABILITY REPORT AND PAST TRANSACTION SUMMARY ID:GEM/GARPTS/30032022/7K59RPQWDLV)/e-PO/54684/PO: 101274 DT. 26.07.2022	26-07-2022	2227557	29-11-2022	proprietary in nature -Indent was approved as per Clause No AA-2 (c) of HQI-2007 by the Competent Authority	MS-RAPP 5&6	SINGLE TENDER
144	Spares For Kirloskar Make Air compressors. Model:T-BTD-RM (Non-Lub Type)	RR Site/Stations/Unit-5&6/CMM/SPS/76849(GEM AVAILABILITY REPORT AND PAST TRANSACTION SUMMARY ID:GEM/GARPTS/23112021/XZ6WJTKQT97R )	26-11-2021	Pratap Diesels Private Limited	RR Site/Stations/Unit-5&6/CMM/SPS/76849(GEM AVAILABILITY REPORT AND PAST TRANSACTION SUMMARY ID:GEM/GARPTS/23112021/XZ6WJTKQT97R )/e-PO/54683/PO: 101279 DATED 27.07.2022	27-07-2022	3563320	23-01-2023	proprietary spares in nature -Indent was approved as per Clause No AA-2 (c) of HQI-2007 by the Competent Authority	SME(M), RAPS 5&6	SINGLE TENDER
145	Supply of Siemens make, model No.-3AP1FI 245 kV, 50 kA, 3150A, 25mm/kV SF6 Circuit Breaker pole.	RR Site/Projects/Unit-7&8/CMM/CAP/9348	03-08-2021	Arihant Engineers	RR Site/Projects/Unit-7&8/CMM/CAP/9348/PO/7075	26-07-2022	16615816	22-01-2023	Indent was approved as per Clause No AA-2 (c) of HQI-2007 by the Competent Authority	CS - 7&8	PO PLACED TO AUTHORIZED DEALER
146	EDDY CURRENT TEST SYSTEM	61979	23-05-2022	TECHNOFOUR	61979/PO/91910	15-07-2022	3275680	08-01-2023	proprietary item in nature	Superintendent QA	-
147	Statically and Dynamically Balanced Shaft with Hub & key for Nadi	62315	26-03-2022	NADI AIRTECHNICS PRIVATE LIMITED	62315/PO/91864	05-07-2022	574000	31-12-2022	Item is proprietary in Nature	SME (MMU)	-
148	Supply of O rings	62553	11-05-2022	KSB LIMITED	62553/PO/91922	19-07-2022	1565949	12-12-2022	Items are spares in nature and these are propose to procure directly from OEM	SME (MMU)	-
149	HP TONER	NAPS/CMM/1/25752	01-01-1970	HEEMO INDIA	33445	25-07-2022	448362	24-08-2022	As items are cartridges for HP make printers, HP (OEM) make is proposed.	ENC(IT&C)	-
150	SEIMENS RC	NAPS/CMM/1/25561	01-01-1970	PROGILITY TECHNOLOGIES PVT LTD.	54643	26-07-2022	502536	26-07-2024	Indented item is two year Comprehensive AMC of SIEMENS (now UNIFY) make Hi-Path 4000version 6 EPABX and its accessories. CAMC includes replacement of parts/components, which are monopoly/proprietary of UNIFY (OEM). Telephone exchange is a vital means of communication and its high availability is to be ensured all the times. Hence it is proposed to make CMC services from OEM/OEM authorized dealer.	ENC(IT&C)	-
151	Single line note book with NPCIL logo design.	62730	13-06-2022	INDIAN DISABLED'S SERVICE CO-OP. SOCIETY LTD.	62730/PO/91855	02-07-2022	2279520	01-08-2022	proprietary item	ACE (E&US)	-
152	Supply of M/s. ROTO PUMP make Screw pump spares	CMM/MAPS/FHU/02113	08-04-2022	ROTO PUMPS LIMITED	CMM/MAPS/FHU/02113/manual-PO/6025	29-07-2022	403093	18-11-2022	Spare part of Existing Equipment	SME(FHU)	Single Tender for Proprietary Spares of OEM.

153	Supply of NLGI #2 grade extreme Pressure bearing Lubricant	CMM/Kaiga 1-4/KGS3&4/61059	07-03-2022	M/S. Permaweld Private Limited	CMM/Kaiga 1-4/KGS3&4/61059/PO-46246	22-07-2022	149845	12-08-2022	Omega 77 NLG#2 extreme pressure libricant is being used in Turbine governing system distribution device and its bearings. Every BSD it is required to replace the existing applied Grease & also during any PSD and PM checks top up of grease is being done. The grase has to be replaced / topped up with the same brand of grease since intermixing of grease is always undesirable for bearing applications. Hence competent Authority may accord the proposal for procurement of Omega 77 extreme prossure libricant on public tender basis either from OEM or authorised distributorswith valid authorisation certificate.	SME(MMU)-3&4	-
154	SENSOR CABLE FOR 50M METEOROLOGICAL TOWER	CMM/MAPS/ESL/02494	02-07-2022	RAMKRISHNA IRON WORKS PRIVATE LIMITED	CMM/MAPS/ESL/02494/manua l-PO/6023	23-07-2022	96736	22-08-2022	PROPRIETARY PRODUCT OF SINGLE MANUFACTURER	HEAD (C&MM)	SENSORS & DATA LOGGERS OF MATERIALOGICAL TOWER OF SINGLE MFRR.
155	PIX banded V-Belt	CMM/Kaiga 1-4/KGS3&4/61133	05-03-2022	M/S. PIX TRANSMISSION LIMITED	CMM/Kaiga 1-4/KGS3&4/61133/PO-46242	22-07-2022	319651	19-11-2022	PIX belt were originally used in Main air compressor since start, hence PIX make belt are to be purchased for one to one replacement.	SME(MMU)-3&4	-
156	Transmission Overhauling service for Godrej 12 T Diesel Forklift	CMM/TAPS-3&4/62109	12-01-2022	Maz Auto Lift Services	62109/PO/91858	04-07-2022	677320	10-10-2022	proprietary item	ACE-CSG	-
157	Supply of Fuses, Overload relay and Contactors.	RR Site/Projects/Unit-7&8/CMM/CAP/8443	06-01-2021	POWER CONTROLS	RR Site/Projects/Unit-7&8/CMM/CAP/8443/PO/7062	15-07-2022	722978	12-12-2022	Indent was approved as per Clause No AA-2 (c) of HQI-2007 by the Competent Authority	SME (E) - 7&8	PO PLACED TO AUTHORIZED DEALER
158	Supply of Bearing monitor suitable for pump Model CMP-40 X 32 -160 X 1.5 C2/GB	KAPS-1&2/C&MM/CMU/22807	26-03-2022	Dynamic Pumps & Projects (I) Pvt. Ltd.	CMM/Station/Unit-1 to 4/CMU/22807/PO-72697	20-07-2022	96288	19-09-2022	This Bearing monitor is manufactured by M/s Dynamic Pumps & Projects (I) Pvt. Ltd, Thane and only suitable for CVMS pump model CMP-40 X 32 -160 X 1.5 C2/GB. This is spare for existing CVMS pump.	SME(I)	OK
159	Discrepancy Control Switch	RR Site/Stations/Unit-3&4/CMM/ELE/75444	24-04-2021	ELECTRONICS CORPORATION OF INDIA LTD	RR Site/Stations/Unit-3&4/CMM/ELE/75444/e-PO/101227	18-07-2022	3317996	14-04-2023	Indent was approved as per Clause No AA-2 (c) of HQI-2007 by the Competent Authority	M.S., RAPS-3&4	PO placed to OEM
160	Parker make Ball Valve Seal	RR Site/Stations/Unit-3&4/CMM/SPS/77004	17-12-2021	YATI INTERNATIONAL INC.	RR Site/Stations/Unit-3&4/CMM/SPS/77004/e-PO/101232	19-07-2022	714230	16-11-2022	Indent was approved as per Clause No AA-2 (c) of HQI-2007 by the Competent Authority	SME (FHU) RAPS-3&4	PO placed to dealer authorised by OEM
161	MOLYKOTE POWDER	CHEM/77503	30-04-2022	VIVIDHA Industrial Market Links	CMM/STATIONS/UNIT3&4/CHEM/77503/po-101236	19-07-2022	128803	17-10-2022	Indent was approved as per Clause No AA-2 (c) of HQI-2007 by the Competent Authority	SME (FHU) RAPS-3&4	PO placed to dealer authorised by OEM
162	Supply of PCO5 plus medium board Controller (P+500BAA010M 0) without SSR.Make: Kirloskar Chillers	KGuj Site/Stations/Unit-1 to 4/CMM/CMU/22924	11-04-2022	kirloskar chillers pvt ltd	CMM/Station/Unit-1 to 4/CMU/22924/PO-72694	19-07-2022	421137	27-10-2022	M/s Kirloskar Chillers Private Limited makes chillers are installed in KAPS-1&2.PCO5 plus medium board Controller (P+500BAA010M 0) is installed in chiller for monitoring, control & protection purpose. Same makes and model controller is required for one to one replacement. Hence it is proprietary item.	SME(I)	OK

163	Spare battery backed power supply unit for Electronic TLD Management System(ETMS) make M/s Senergy Intellution P. Ltd.	RR Site/Stations/Unit-5&6/CMM/ELE/77912(GEM AVAILABILITY REPORT AND PAST TRANSACTION SUMMARY ID:GEM/GARPTS/10052022/SO4YYZ7KOMXF)	31-05-2022	senergy intellution pvt ltd	RR Site/Stations/Unit-5&6/CMM/ELE/77912(GEM AVAILABILITY REPORT AND PAST TRANSACTION SUMMARY ID:GEM/GARPTS/10052022/SO4YYZ7KOMXF)/e-PO/54538/PO:101240 DT. 19.7.2022	19-07-2022	35683	17-09-2022	Indent approved as per Clause AA-2(c) of HQI-2007(R5) for issue of single tender to OEM	Head(HPU)	Single Tender
164	FLOW SWITCH	NAPS/CMM/1/25714	01-01-1970	KEMI IMPEX PVT LTD.	33419	05-07-2022	551632	05-07-2023	Mentioned Switzer make pressure and flow switches are being used in TG and moderator systems since commissioning and their performance is satisfactory. In order to maintain structural changeability (cutout and fixtures), uniformity, operator conversance and optimum spare inventory. No other make can be installed in place of these switches. So it is proposed to procure these flow switches as spare of make M/s Switzer model BGM-050-L033-F-1 for one is to one replacement basis through public tender mode.	SME(I)	-
165	Supply of Switzer Pressure Switch Model No.-GA-203-33-K093-WW-N	RR Site/Projects/Unit-7&8/CMM/CAP/9742	02-04-2022	Wika Instruments India Private Limited	RR Site/Projects/Unit-7&8/CMM/CAP/9742/PO/7049	02-07-2022	2268928	10-09-2022	Indent was approved as per Clause No AA-2 (c) of HQI-2007 by the Competent Authority	SME (I)- 7&8	PO PLACED
166	PILOT OPERATED	NAPS/CMM/1/25563	01-01-1970	SURESALES AUTOMATION PVT LTD.	33410	02-07-2022	1002200	30-10-2022	In NAPS-1&2 M/s Rotex make solenoid valves are installed in Ventilation system so spares of same make and model are required for one to one replacement. Any other make & model can not be used as there is design constraint for installation of same. This procurement is being done to maintain the minimum spare inventory for replacement of Rotex make solenoid valves and Seal Kits during PM , BM and during upcoming BSD.	SME(I)	-
167	Mobil Rarus Oil	KKNPP/1&2/CMM/SPT/19261 & 19591	04-06-2022	SUPER TRANSPORTS PVT LTD.	54526	15-07-2022	1399008	12-10-2022	Items are of proprietary nature	SME(M)	KKNPP/12/CMM/24573 & 1225222/PO: 60351, dt: 14/07/2022
168	Combined pH glass electrodes	KGuj Site/Stations/Unit-1 to 4/CMM/CAP/23581	24-05-2022	APLAB ENGICHEM PRIVATE LIMITED	CMM/Station/Unit-1 to 4/CAP/23581/PO-72699	20-07-2022	209778	18-10-2022	This is spare part combined pH glass electrodes (Aquatrode 60257000) compatible to METROHM Make pH Meter Model No.780.	STATION CHEMIST-3&4	OK

169	Supply of Nivelco Cable float Level Switch with counter weight.	KAPS-1&2/C&MM/CMU/22857	07-04-2022	NIVELCO INSTRUMENTS INDIA PVT.LTD.	CMM/Station/Unit-1 to 4/CMU/22857/PO-72693	18-07-2022	38031	01-09-2022	Nivelco level switches manufactured by M/S. Nivelco instruments India Pvt. Ltd. these level switches are being used in the drainage control system at KAPS. Dimensions are matching with existing installed level switches and the performance of these switches are satisfactory. only these level switches are suitable for "ONE TO ONE REPLACEMENT" of existing switches and these are proprietary product of M/S Nivelco Instruments Pvt. Ltd.	SME(I)	OK
170	EAGLEBURGMANN	NAPS/CMM/1/25015	01-01-1970	EAGLEBURGMANN INDIA PVT LTD	33423	07-07-2022	2148558	07-07-2022	25015 Indented items are spare parts of Eagle Burgmann make Mechanical Seals installed in Unit#1 End Shiled Cooling Pumps/Calandria vault Cooling Pumps, AGMS blowers and unit#1&2 OSU pumps. During maintenance/overhauling of the equipments (BM/PM), some or complete mechanical seal assembly needs to be replaced. Hence same set of spares needs to be procured, as installed. This will also maintain the interchangeability. Also, detailed drawing/specifications are not available with us to get developed from other sources. Competent authority may please provide approval for purchase of indented items as a "proprietary item" from M/S Eagle Burgmann.	MS	-
171	SPARE MEASURING	NAPS/CMM/1/25671	01-01-1970	ANALYSER INSTRUMENT COMPANY PVT LTD.	33438	16-07-2022	1299830	16-07-2023	The Sodium Analyser is used to measure the concentration of Sodium ion in D.M. Water. The indented items are the spares of Belswan Belgium Make, Model - PC-2014, Sodium Analyser and hence proprietary in nature. Hence it is proposed to procure indented spares on proprietary public tender basis. Competent authority may kindly approve the same.	SME(I)	-
172	KBL	NAPS/CMM/1/25526	01-01-1970	AMPEE TRADING COMPANY	33431	11-07-2022	1220596	06-10-2023	M/s Kirloskar Brothers Limited is the original manufacturer of EAPWC Pump and fire pump. Thus spare parts are proprietary item of M/s KBL. In view of above it is proposed to procure the indented item from M/s KBL on proprietary basis. TFI will be Rs. 12,08,795/- . Competent Authority may review and approve the same. Finance may concur and competent authority may review and approve the proposal for procurement as proprietary article as per GFR.	SME(M)	-
173	SKF Make Seal	KKNPP/1&2/CMM/SPT/19260	13-09-2021	Saganna Industrial Spares	KKNPP/12/CMM/24662/PO: 60360	16-07-2022	499777	14-10-2022	Items are Proprietary nature for Various seals and guide ring for containment isolation valve actuator. OEM recommended authorized distributor.	SME(M)	-
174	PCB MAKE: ARROW ENGINEERING INDUSTRIES PVT LTD MODEL: ARROW-1019-01-AMPLIFIER	RR Site/Stations/Unit-1&2/SPS/77727	22-04-2022	ARROW ENGINEERING INDUSTRIES PRIVATE LIMITED	RR Site/Stations/Unit-1&2/SPS/77727/PO/101146	05-07-2022	1021880	02-12-2022	Indent was approved as per Clause No AA-2 (c) of HQI-2007 by the Competent Authority	SME (I), RAPS-1&2	PO placed to OEM

175	EUROTHERM MAKE PAPERLESS RECORDER	CMM/KAIGA1-4/KGS3&4/60640	25-05-2022	SAIESH TECHNOLOGIES PVT LD	CMM/KAIGA1-4/KGS3&4/60640/PO-81866	15-07-2022	857760	13-10-2022	M/s Burgmann Germany is OEM of mechanical seal for M/s KSB make RSR 350 model PCP pumps installed at KGS-1&2. These hydrodynamic mechanical seals are specific to PCP pumps and are proprietary in nature . Hence it is proposed to procure mechanical seal from seal OEM or its authorised dealer/channel partner on proprietary basis for one to one replacement with existing component.	SME(MMU)-1&2	-
176	Supply of Rotex' make 'o' ring set of 3 way direct acting solenoid valve	KGuj Site/Stations/Unit-1 to 4/CMM/CMU/23308	07-04-2022	ROTEX AUTOMATION LIMITED	CMM/Station/Unit-1 to 4/CMU/23308/PO-72669	11-07-2022	213816	19-10-2022	M/s Rotex makes 3-way solenoid valves are used in secondary and common services system. The same makes and model spare o rings and plunger are required. Indented items is spares of existing.	SME(I)	OK
177	Supply of Chlorine Gas Filter, Automatic Shut off Valve, Pr. Regulating Valve, Gas Non return Valve, Pr. Vacuum Relief Valve, Ejector and Auto Shut off Valve Spare.	KAPS-1&2/C&MM/MMU/23254	27-04-2022	CHLORINATION SYSTEMS	CMM/Station/Unit-1 to 4/MMU/23254/PO-72672	13-07-2022	470053	11-10-2022	Indented Items are standard spares of Domestic Water Chlorination System of M/s Chlorination System, Mumbai	SME(M)	OK
178	PERKIN LSA SPARES	CMM/KAIGA1-4/KGS3&4/61425	11-04-2022	PerkinElmer India Pvt ltd	CMM/KAIGA1-4/KGS3&4/61425/e-PO/46234	16-07-2022	217585	14-10-2022	The spare parts which are being intended are required for M/s Perkin Elmer make Liquid Scintillation Analyser (LSA) Model Tricarb 2900 (Sr. No. DG08061379). The spare parts with respective material code which are the proprietary products of M/s Perkin Elmer are only compatible with the instrument and they will be replaced one to one with parts of the LSA. Indented item is of proprietary nature and no one else can supply other than M/S Perkin Elmer India Pvt.LTD. In view of this proprietary is proposed.	STATION HEALTH PHYSICIST-3&4	-
179	Spares for Dining Table with Chair of KGS 3&4 canteen	CMM/KAIGA1-4/KGS 3&2/61391	27-05-2022	Delta Furniture Private Limited	CMM/KAIGA1-4/KGS 3&2/61391/46233	16-07-2022	191147	30-08-2022	All the indented items are the spares of the existing dining table (Delta make) of KGS 3&4 canteen. So spares of the same Detla make are required	MS-3&4	-
180	Impeller Part No. 24.2 (Dynamically balanced) for 'SAM' Pump Model: CPC80/400, Sl.No. 6711/995, Head=50m, Drg No. 240-06-32D/SP/O/7177.	RR Site/Stations/Common/CMM/SPS/78083 ( GeM Availability Report and Past Transaction Summary: Report ID: GEM/GARPTS/05062022/PHWSKU321M8 )	22-06-2022	SAM TURBO INDUSTRY PRIVATE LIMITED	CMM/Station/Common/SPS/78083/PO-101209 Purchase Order Placed on M/s. Ganjoo Pumps 'N' Projects, D-135, Sector-63, Noida - 201 303	15-07-2022	23412	12-11-2022	Indent was approved as per Clause No AA-2 (c) of HQI-2007 by the Competent Authority	STO(O)	ok
181	Supply of NASH make Condenser Vacuum pump ELMO 2BE1 403 OBY4 Z	CMM/Kaiga 1-4/KGS3&4/60699	23-03-2022	M/S. MILLENNIUM IMPEX PRIVATE LIMITED	CMM/Kaiga 1-4/KGS3&4/60699/PO-46232	15-07-2022	810411	15-03-2023	M/S NASH make condenser vacuum pumps are installed in both the units of KGS#3&4. Indented items are spares for Condenser Vacuum pump and required for one to one replacement of existing parts of these pumps. Competent authority is requested to approve the proposal for procurement of the same from M/S NASH or its authorised dealer on PT basis only.	SME(MMU)-3&4	-

182	Supply of DSE 4520 Controller, PART NUMBER 7PK1020154 make Power Engineering (I) Pvt Ltd	CMM/TAPS-1&2/62267	18-02-2022	Power Engineering (India) Pvt. Ltd.	62267/PO/91856	04-07-2022	45400	03-08-2022	proprietary item	SME (E) TAPS 1&2	-
183	Comprehensive AMC for Konica make Photocopier for period of two years.	KGuj Site/Stations/Unit-1&2/CMM/SPG/23609	08-06-2022	Patel Infotech	CMM/Station/Unit-1 to 4/SPG/23609/PO-72674	14-07-2022	1549930	13-07-2024	Indent is for Comprehensive Annual Maintenance Contract of existing photocopiers by OEM or authorized service provider of OEM which is proprietary in nature.	CS-1&2	OK
184	Spare items for liquid Scintillation analysers (2900 TR): Perkin Elmer supplied quench standard set of 20 ml vials.	KAPS-1&2/C&MM/HPU/22997	26-02-2022	PerkinElmer India Pvt Ltd	CMM/Station/Unit-1 to 4/HPU/22997/PO-72679	15-07-2022	465368	12-11-2022	We are having Perkin Elmer make liquid scintillation analyzers. The indent items are standards required for calibration, QA tests of our Perkin Elmer make liquid scintillation analyzers. Perkin Elmer (OEM) make standards are only required for this purpose. These standards is of proprietary in nature and no one else can supply. In view of this, Single Tender under clause AA-2 (C) of HQI 2007 R5 proposed.	HEAD(HPU)	OK
185	M/s Eagle Burgmann Germany make MECHANICAL SEAL	CMM/Kaiga 1-4/CAPKGS1&2/60460	28-04-2022	M/S. EagleBurgmann India Pvt Ltd	CMM/Kaiga 1-4/CAPKGS1&2/60460/PO-46230	11-07-2022	7502322	09-01-2023	M/s Burgmann Germany is OEM of mechanical seal for M/s KSB make RSR 350 model PCP pumps installed at KGS-1&2. These hydrodynamic mechanical seals are specific to PCP pumps and are proprietary in nature . Hence it is proposed to procure mechanical seal from seal OEM or its authorised dealer/channel partner on proprietary basis for one to one replacement with existing component.	SME(MMU)-1&2	-
186	Maintenance Contract for Perkin Elmer make Sample Oxidizer	KKNPP/1&2/CMM/SPT/19462	01-04-2022	PerkinElmer India Pvt Ltd	KKNPP/12/CMM/1225095/PO-60344	08-07-2022	436128	07-07-2024	Service & Maintenance contract with OEM of the equipment	Station Director (1&2)	-
187	Supply of M/S INTELEC MICROCONTROLS make 16 window (4x4) annunciator Power Supply-90-270 VAC/DC	KGuj Site/Stations/Unit-1 to 4/CMM/CAP/23591	13-05-2022	INTELEC MICROCONTROLS	CMM/Station/Unit-1 to 4/CAP/23591/PO-72658	05-07-2022	306800	02-11-2022	M/s Intelec microcontrols make Window annunciation and Hooter are used in chemical dosing system of TG feed water and fire suppression system. These equipments are used in control panels of chemical dosing system and fire suppression system and same equipments are only compatible with existing mounting arrangements so that For one to one replacement inside control panels of the both system procurement of these equipments are proposed.	SME(E)-3&4	OK
188	Supply of EMIS (M/s EMI SOLUTIONS PVT LTD) make 250 A, 440 V AC rated EMI Filter	KGuj Site/Stations/Unit-1 to 4/CMM/CAP/23321	26-02-2022	EMI SOLUTIONS PVT LTD	CMM/Station/Unit-1 to 4/CAP/23321/PO-72662	06-07-2022	175730	04-10-2022	EMI make filter are used in system ACVR; 24 V,195 A DCPS; 26 V ,195 A DC SBC; 220 V ,520 A DC SBC-2; Inverter 220 V 520A DCPS; TG DCPS 24V ; 4.2 mW DG AVR Panel; 24 V,182A; 80 KVA INV. so EMI make filter are proposed for indent from OEM (EMI SOLUTIONS PVT LTD) for one to one replacement basic. so in view of this indent of the same is raised via single tender mode.	SME(E)-3&4	OK



189	ONE YEAR Maintenance Contract for Avery Weighing scale Model No. Type- 3205 ABA; Capacity: 500 KG along with stamping arrangement from weights and Measurement department (Govt. Of Rajasthan). Detailed Terms and Condition for the Maintenance is attached as Annexure-A	RR Site/Stations/Common/CMM/PROV/77398 ( GeM Availability Report and Past Transaction Summary: Report ID: GEM/GARPTS/18042022/OPZGV956 TN8I)	20-04-2022	AVERY INDIA LIMITED	CMM/Station/Common/PROV/77398/PO-101167	07-07-2022	215468	07-07-2023	Indent was approved as per Clause No AA-2 (c) of HQI-2007 by the Competent Authority	GM(CMM)	PO placed to OEM
190	AMC FOR VAPOUR ABSORPTION CHILLER	CMM/MAPS/MM/02301	30-04-2022	THERMAX LIMITED	CMM/MAPS/MM/02301/manual-PO/6017	08-07-2022	324500	06-07-2024	Proprietary Services for Thermax make Vapour Absorption Chiller by OEM	SME(M)	AMC Services from OEM
191	TURBINE PRESERVATIVE COMPOUND	CMM/MAPS/MM/02182	17-05-2022	BHARAT HEAVY ELECTRICALS LIMITED,	CMM/MAPS/MM/02182/manual-PO/6016	13-07-2022	201450	09-09-2022	PROPRIETARY ITEM OF BHEL.	HEAD (C&MM)	PROPRIETARY ITEM OF BHEL PROCESSED ON ST BASIS
192	Supply of 1 no. of qualified & in operation Spent Fuel Transport Container (CASK TUK-13V) for Away From Reactor (AFR) Spent Fuel Storage Facility for Kudankulam Units-1&2.	CMM/OPS/00-00-9-3505	06-06-2022	M/s. JSC TENEX-Logistics	CMM/OPS/00-00-9-3505/PO/54293	07-07-2022	#####	05-01-2023	I/O has justified that M/s JSC TENEX-Logistics is authorised to co-operate in all aspects associated with supporting and developing SNF management infrastructure (shipping, package sets and CASK, SNF storage facilities, individual equipment and accessories) outside the scope of the Russian Party's obligations under General Framework Agreement for implementation of KKNPP-1&2 by Rosatom State Corporation, Russia. M/s JSC TENEX-Logistics is the only qualified party for manufacture and supply of technically acceptable TUK-13V model CASK which is proprietary in nature, hence it is proposed to procure from OEM M/s JSC TENEX-Logistics, Russia.	ED (Engg-LWR)	-
193	RAM HEAD ASSEMBLY	CMM/KAIGA1-4/KGS3&4/61376	27-04-2022	MTAR TECHNOLOGIES LIMITED	CMM/KAIGA1-4/KGS3&4/61376/PO-81825	02-07-2022	1655815	02-07-2023	Ram Head assembly is a very critical component of the FM head. m/s MTAR Technologies hyderabad is the OEM of this item to KGS 3&4. Considering the reliability requirement and for one to one replacement it is proposed to procure this item through a single enquiry through OEM m/s MTAR Technologies Ltd.Hyderabad.	SME(FHU)-3&4	-
194	Spare Bladder Kit for FCH make Accumulator Model No.: FCHJ949686-B (Capacity-0.6 Liter). Kit Part No. FCHE925446 and attached Note	RR Site/Stations/Unit-5&6/CMM/SPS/76654(GEM AVAILABILITY REPORT AND PAST TRANSACTION SUMMARY ID:GEM/GARPTS/01112021/EQMW2R6EJPN7)	25-11-2021	YATI INTERNATIONAL INC.	RR Site/Stations/Unit-5&6/CMM/SPS/76654(GEM AVAILABILITY REPORT AND PAST TRANSACTION SUMMARY ID:GEM/GARPTS/01112021/EQMW2R6EJPN7)/e-PO/54271/PO: 101134 DT. 04.07.2022	04-07-2022	1139423	01-12-2022	Spares parts, attachment of existing equipment as per Indent approved as per AA-2 C of HQI-2007 by the competent authority	SME(F)-RAPP 5&6	SINGLE TENDER

195	Supply of ServoStar Coupling with Red PU spider	KGuj Site/Stations/Unit-1 to 4/CMM/CAP/22785	26-02-2022	National Engineering Company	CMM/Station/Unit-1 to 4/CAP/22785/PO-72656	01-07-2022	87259	31-07-2022	Indented items are split type, Aluminum coupling of NENCO make (drawing attached) which are used in all drive mechanism of AR, CR and SR. Requirement is raised to maintain the spare stock for one to one replacement. Hence, indent is proposed in Single tender mode to M/s National Engineering Company (Nenco).	SME(M)	OK
196	Supply of Chlorine Leak absorption system along with associated ducting as per attached P & I diagram (Drg. No.: IEC-TEN-P&ID-ABS-1443),	RR Site/Stations-5&6/CMM/CAP/76333(GEM/GARPTS/20012022/9V3MV6Y6BQD7)	18-02-2022	iec fabchem limited	RR Site/Stations-5&6/CMM/CAP/76333(GEM/GARPTS/20012022/9V3MV6Y6BQD7)/e-PO/54252/PO: 101121 DT. 02.07.2022	02-07-2022	6036432	30-10-2022	Indent approved as per Clause AA-2(c) of HQI-2007(R5) for issue of single tender to OEM	MS, RAPS-5&6	Single Tender
197	Diaphragm pumps	CMM/Kaiga 1-4/KGS1&2/61566	20-04-2022	ACMEVAC SALES PVT. LTD.	CMM/Kaiga 1-4/KGS1&2/61566/PO-46212	01-07-2022	353115	14-10-2022	The indented items are proprietary in nature. These portable diaphragm pumps are required for one to one replacement of existing sampling pumps in "tritium in air sampling stations" located in both RB & RAB locations of KGS-1&2. Hence competent authority is requested to approve the proposal to procure M/s ACMEVAC pumps on single tender basis.	STATION HEALTH PHYSICIST-1&2	-
198	FOURESS ELECTRICALLY OPERATED FLANGED END BUTTERFLY VALVE	CMM/MAPS/MM/02334	05-04-2022	FOURESS ENGINEERING INDIA PVT.LTD.,	CMM/MAPS/MM/02334/manual-PO/6003	06-07-2022	4997403	29-06-2023	ONE TO ONE REPLACEMENT AS PER DESIGN APPROVAL.	HEAD (CMM)	PROPOSED AS SINGLE TENDER.
199	Empanalment of Selling Agent for disposal of /Obsolete materials	C&MM/T&C/00-00-4-135	21-06-2022	MSTC LIMITED	C&MM/T&C/00-00-4-135/ePO/45258	01-07-2022	7142000	Two years	As Per HQI-3004 R-I	ED (C&MM)	Contract finalised from 01/07/2022 to 30/06/2024